Appendix C –

Indoor/Outdoor Air
And
Soil Vapor Monitoring
Summary Tables

Name/Address	Body Barn 62 South Main	Body Barn 62 South Main	Body Barn 62 South Main	Body Barn 62 South Main	Body Barn 62 South Main	Body Barn 62 South Main	Body Barn 62 South Main	Body Barn 62 South Main	Body Barn 62 South Main	Body Barn 62 South Main	Body Barn 62 South Main	Body Barn 62 South Main	Body Barn 62 South Main	Body Barn 62 South Main	Body Barn 62 South Main
Collection Date	9/18/2007	7/15/2008	8/11/2008	9/17/2008	3/26/2009	4/16/2009	6/9/2009	9/29/2009	11/18/2009	4/29/2009	6/9/2009	9/30/2009	11/19/2009	12/29/2009	5/27/2010
Sample Type	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Sub-slab	Sub-slab	Sub-slab	Sub-slab	Sub-slab	Sub-slab
Notes	On Floor by North Wall	On Floor by North Wall	On Floor by North Wall	On Floor by North Wall	Corner behind equip. on North wall	Along North wall; midway in building	Along North wall; midway in building	Lower Level Near Sub-slab Probe		Northeast corner of back workout area	Northeast corner of back workout area	Northeast corner of back workout area	Northeast corner of back workout area	Northeast corner of back workout area	Northeast corner of back workout area
Units	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3
Volatile Organics															
1,2-Dichlorotetrafluoroethane	-	-	-	-	-	-	-	-	-	<2.8	< 5.6	<2.8	<2.8	<2.8	<2.8
Dichlorodifluoromethane	3.1	2.8	2.7	2.3	2.7	2.2	2.1	2.7	5	2.6	< 4.0	2.3	< 2.0	< 2.0	2.3
Chloromethane	1.2	0.95	1.3	1.1	1.4	1.3	1.1	1.3	2.2	0.83	< 1.7	< 0.83	< 0.83	< 0.83	< 0.83
Freon 114	ND	ND	ND	ND	< 0.71	< 0.71	< 0.71	< 0.71	< 0.71	-	-	-	-	-	-
Vinyl Chloride	ND	ND	ND	ND	< 0.24	< 0.24	< 0.24	< 0.24	< 0.24	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0
1,3-Butadiene	ND	ND	ND	ND	< 0.43	< 0.43	< 0.43	< 0.43	4.3	< 8.9	< 18	< 8.9	< 8.9	< 8.9	< 8.9
Bromomethane	ND	ND	ND	ND	< 0.47	< 0.47	< 0.47	< 0.47	< 0.47	< 1.6	< 3.1	< 1.6	< 1.6	< 1.6	< 1.6
Chloroethane	ND	ND	ND	ND	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 1.1	< 2.1	< 1.1	< 1.1	< 1.1	< 1.1
Freon 11	ND	ND	ND	ND	1.5	1.1	1.1	1.3	1.8	-	-	-	-	-	-
cis-1,2-Dichloroethene	1	ND	ND	ND	< 0.73	< 0.73	< 0.73	< 0.73	< 0.73	< 1.6	< 3.2	< 1.6	< 1.6	< 1.6	< 1.6
Carbon disulfide	0.61	ND	ND	ND	0.53	0.7	< 0.51	1	0.55	2.6	< 2.5	12	6.2	8.4	1.7
Freon 113	ND	ND	ND	ND	0.88	< 0.55	< 0.55	< 0.55	< 0.55	-	-	-	-	-	-
Acetone	ND	17	15	9.5	5.2	< 0.73	37	34	58	260	22	33	36	21	38
Methylene Chloride	ND	ND	1.7	ND	2.9	2.5	2.2	0.88	3.1	2.7	< 2.8	6.9	< 1.4	< 1.4	< 1.4
trans-1,2-Dichloroethene	ND	ND	ND	ND	< 0.79	< 0.79	< 0.79	< 0.79	< 0.79	< 1.6	< 3.2	< 1.6	< 1.6	< 1.6	< 1.6
1,1-Dichloroethene	ND	ND	ND	ND	< 1.3	< 1.3	< 1.3	< 1.3	< 1.3	< 1.6	< 3.2	< 1.6	< 1.6	3.5	< 1.6
MTBE	ND	ND	ND	ND	<0.58	<0.58	<0.58	<0.58	<0.58	< 1.4	< 2.9	< 1.4	< 1.4	< 1.4	< 1.4
Vinyl Acetate	ND	ND	ND	ND	< 0.51	< 0.51	< 0.51	< 0.51	< 0.51	< 1.4	< 2.8	< 1.4	< 1.4	< 1.4	< 1.4
1,1-Dichloroethane	ND	ND	ND	ND	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 1.6	< 3.2	< 1.6	< 1.6	< 1.6	< 1.6
2-Butanone (MEK)	15	ND	2.8	ND	2.3	< 0.40	3.1	2.1	14	56	< 15	< 7.4	8.3	< 7.4	< 7.4
Ethyl Acetate	ND	ND	ND	ND	< 1.1	< 1.1	< 1.1	1.2	<1.1	-	-	-	-	-	-
n-Hexane	31	ND	1.2	ND	20	56	12	4	28	9.5	< 8.9	3.2	3.5	3.4	< 1.4
Chloroform	ND	ND	ND	ND	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	2	< 3.9	22	3.5	3	< 1.9
1,1,1-Trichloroethane	ND	ND	ND	ND	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 2.2	< 4.4	< 2.2	< 2.2	< 2.2	< 2.2
Carbon tetrachloride	ND	ND	ND	ND	<0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 2.5	< 5.0	2.8	< 2.5	< 2.5	< 2.5
Benzene	4.1	ND	1.4	ND	14	43	12	5.9	23	22	5.7	2.3	3.2	1.3	< 1.3
Tetrahydrofuran	10	ND	2.6	ND	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	17	< 2.4	< 1.2	< 1.2	< 1.2	< 1.2
1,2-Dichloroethane	ND	ND	ND	ND	< 0.54	< 0.54	< 0.54	< 0.54	< 0.54	< 1.6	< 3.2	< 1.6	< 1.6	< 1.6	< 1.6
Cyclohexane	21	ND	ND	ND	3.4	< 0.58	< 0.58	1.4	4.8	6.5	3	7.2	6.5	< 1.4	2.4
Trichloroethylene/Trichloroethene	2.1	ND	ND	ND	<0.32	<0.32	<0.32	<0.32	<0.32	< 2.1	< 4.3	2.4	< 2.1	< 2.1	< 2.1
1,2-Dichloropropane	ND	ND	ND	ND	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 1.8	< 3.7	< 1.8	< 1.8	< 1.8	< 1.8
Bromodichloromethane	ND	ND	ND	ND	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 2.7	< 5.4	< 2.7	< 2.7	< 2.7	< 2.7
Heptane	2.6	ND	ND	ND	5.5	19	4.2	1.4	9.1	4.9	< 3.3	2	< 1.6	1.9	< 1.6
cis-1,3-Dichloropropene	ND	ND	ND	ND	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 1.8	< 3.6	< 1.8	< 1.8	< 1.8	< 1.8
4-Methyl-2-pentanone (MIBK)	ND	1.4	ND	ND	10	28	24	34	15	61	82	< 10	< 10	< 10	< 10
Toluene	13	2.3	2.6	1.6	63	190	67	24	71	35	11	2.9	6.8	6	1.6
trans-1,3-Dichloropropene	ND	ND	ND	ND	< 0.43	< 0.43	< 0.43	< 0.43	< 0.43	< 1.8	< 3.6	< 1.8	< 1.8	< 1.8	< 1.8
1,1,2-Trichloroethane	ND	ND	ND	ND	< 0.47	< 0.47	< 0.47	< 0.47	< 0.47	< 2.2	< 4.4	< 2.2	< 2.2	< 2.2	< 2.2
Tetrachloroethylene/Tetrachloroethene	0.79	ND	ND	ND	17	19	2.3	< 0.62	0.87	12	10	10	6.8	8.1	13
2-Hexanone	ND	ND	ND	ND	< 0.28	< 0.28	< 0.28	< 0.28	< 0.28	-	-	-	-	-	-
Dibromochloromethane	ND	ND	ND	ND	< 0.52	< 0.52	< 0.52	< 0.52	< 0.52	< 3.4	< 6.8	< 3.4	< 3.4	< 3.4	< 3.4
1,2-Dibromoethane	ND	ND	ND	ND	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 3.1	< 6.2	< 3.1	< 3.1	< 3.1	< 3.1
Chlorobenzene	ND	ND	ND	ND	< 0.18	< 0.18	< 0.18	< 0.18	< 0.18	< 1.8	< 3.7	< 1.8	< 1.8	< 1.8	< 1.8
Ethylbenzene	1.8	ND	ND	ND	5.2	24	3	0.62	6.6	4.3	4.3	2	< 1.4	< 1.4	< 1.4
m&p-Xylene	8.2	4.7	8.7	3.7	66	210	69	73	69	160	380	4.8	5.2	< 3.5	< 3.5
o-Xylene	3	ND	ND	ND	9.5	30	5.7	2.1	9.3	6.5	< 3.5	< 1.7	< 1.7	< 1.7	< 1.7
Styrene	0.58	ND	ND	ND	0.5	< 0.44	< 0.44	< 0.44	0.8	< 1.7	4.1	< 1.7	< 1.7	< 1.7	< 1.7
Bromoform	ND	ND	ND	ND	< 0.66	< 0.66	< 0.56	< 0.66	< 0.66	< 12	< 25	< 12	< 12	< 12	< 12
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	< 0.43	< 0.43	< 0.43	< 0.43	< 0.43	< 2.7	< 5.5	< 2.7	< 2.7	< 2.7	< 2.7
Benzyl Chloride	ND	ND	ND	ND	< 0.22	< 0.22	< 0.22	< 0.22	< 0.22	< 2.1	< 4.2	< 2.1	< 2.1	< 2.1	< 2.1
4-Ethyltoluene	0.92	ND	ND	ND	2.6	6.8	1	< 0.29	3.2	< 2.0	< 3.9	< 2.0	< 2.0	1.7	< 2.0
1,3,5-Trimethylbenzene	1.9	ND	ND	ND	2.6	5.9	1.1	< 0.26	2.8	3	< 3.9	< 2.0	< 2.0	< 2.0	< 2.0
1,2,4-Trimethylbenzene	4.1	ND	ND	ND	8.9	24	4.6	2.4	9.3	7.9	< 3.9	< 2.0	< 2.0	< 2.0	< 2.0
1,3-Dichlorobenzene	ND	ND	ND	ND	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 2.4	< 4.8	< 2.4	< 2.4	< 2.4	< 2.4
1,4-Dichlorobenzene	0.86	ND	ND	ND	< 0.55	< 0.55	< 0.55	< 0.55	< 0.55	< 2.4	< 4.8	< 2.4	< 2.4	< 2.4	< 2.4
1,2-Dichlorobenzene	ND	ND	ND	ND	< 0.66	< 0.66	< 0.66	< 0.66	< 0.66	<2.4	< 4.8	<2.4	<2.4	<2.4	<2.4
1,2,4-Trichlorobenzene	ND	ND	ND	ND	< 1.1	< 1.1	< 1.1	< 1.1	< 1.1	< 9.3	< 19	< 9.3	< 9.3	< 9.3	< 9.3
Hexachloro-1,3-butadiene	ND	ND	ND	ND	< 0.84	< 0.84	< 0.84	< 0.84	< 0.84	<13	< 27	<13	<13	<13	<13
TPH (GC/MS) Low Fraction	3300	-	-	-	-	-	-	-	-	-	950	< 410	< 410	< 410	< 410
Allyl chloride	-	-	-	-	-	-	-	-	-	< 1.3	< 2.5	< 1.3	< 1.3	< 1.3	< 1.3
tert-butyl alcohol	-	-	-	-	-	-	-	-	-	< 1.2	2.7	2.6	< 1.2	< 1.2	1.3
2-Chlorotoluene	-	-	-	-	-	-	-	-	-	< 2.1	< 4.1	< 2.1	< 2.1	< 2.1	< 2.1
1,4,-Dioxane	-	-	-	-	-	-	-	-	-	< 1.4	< 2.9	< 1.4	< 1.4	< 1.4	< 1.4
Ethanol	-	-	-	-	-	-	-	-	-	68	30	34	26	19	30
Trichlorofloromethane	-	-	-	-	-	-	-	-	-	< 2.2	< 4.5	< 2.2	< 2.2	< 2.2	< 2.2
1,1,2-Trichlorofluoroethane	-	-	-	-	-	-	-	-	-	<3.1	< 6.1	<3.1	<3.1	<3.1	<3.1
Isopropylbenzene	-	-	-	-	-	-	-	-	-	<2.0	< 3.9	<2.0	<2.0	<2.0	<2.0
Methyl Butyl Ketone	-	-	-	-	-	-	-	-	-	< 10	< 20	< 10	< 10	< 10	< 10
Methyl methacrylate	-	-	-	-	-	-	-	-	-	< 1.6	< 3.3	< 1.6	< 1.6	< 1.6	< 1.6
Napthalene	-	-	-	-	-	-	-	-	-	3.5	< 4.2	< 2.1	< 2.1	< 2.1	< 2.1
2-Propanol	-	-	-	-	-	-	-	-	-	220	110	6.1	61	32	44
Propene	-	-	-	-	-	-	-	-	-	< 1.4	< 2.8	< 1.4	< 1.4	< 1.4	< 1.4
2,2,4-Trimethylpentane	-	-	-	-	-	-	-	-	-	2.3	< 3.7	< 1.9	< 1.9	< 1.9	< 1.9
Vinyl Bromide	-	-	-	-	-	-	-	-	-	< 1.7	< 3.5	< 1.7	< 1.7	< 1.7	< 1.7

Name/Address	Dorius Law Offices 47 South Main	Dorius Law Offices 47 South Main	Dorius Law Offices 47 South Main	Dorius Law Offices 47 South Main	Dorius Law Offices 47 South Main	Dorius Law Office 47 South Main	Dorius Law Office 47 South Main	Dorius Law Office 47 South Main	Dorius Law Office 47 South Main
Collection Date	9/6/2007	7/15/2008	8/11/2008	9/17/2008	3/26/2009	5/5/2009	9/30/2009	1/5/2010	5/27/2010
Sample Type	Indoor	Indoor	Indoor	Indoor	Indoor	Sub-slab	Sub-slab	Sub-slab	Sub-slab
Notes		In Office	In Office	In Office	NW corner, inside Carolyn's office	Under basement slab, east side	Basement	Basement	Basement
Units	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3
Volatile Organics									
1,2-Dichlorotetrafluoroethane	-	-	-	-	-	< 2.8	<2.8	<2.8	<2.8
Dichlorodifluoromethane	4.2	4.8	3.6	6.4	3.5	< 2.0	2.4	< 2.0	< 2.0
Chloromethane	1.9	1.4	2.2	1.6	1.5	< 0.83	< 0.83	< 0.83	< 0.83
Freon 114	ND	ND	ND	ND	< 0.71	-	-	-	-
Vinyl Chloride	ND	ND	ND	ND	< 0.24	< 1.0	< 1.0	< 1.0	< 1.0
1,3-Butadiene	ND	ND	ND	ND	< 0.43	< 8.9	< 8.9	< 8.9	< 8.9
Bromomethane	ND	ND	ND	ND	< 0.47	< 1.6	< 1.6	< 1.6	< 1.6
Chloroethane	ND	ND	ND	ND	< 0.36	< 1.1	< 1.1	< 1.1	< 1.1
Freon 11	2.3	3.3	2.7	ND	1.5	-	-	-	-
cis-1,2-Dichloroethene	ND	ND	ND	ND	< 0.73	< 1.6	< 1.6	< 1.6	< 1.6
Carbon disulfide	2	ND	ND	ND	< 0.51	< 1.2	< 1.2	< 1.2	< 1.2
Freon 113	ND	ND	ND	ND	< 0.55	-	-	-	-
Acetone	32	34	32	26	8.9	26	130	17	50
Methylene Chloride	0.77	1.3	1.8	ND	0.61	< 1.4	5.2	11	< 1.4
trans-1,2-Dichloroethene	ND	ND	ND	ND	< 0.79	< 1.6	< 1.6	< 1.6	< 1.6
1,1-Dichloroethene	ND	ND	ND	ND	< 1.3	< 1.6	< 1.6	< 1.6	< 1.6
MTBE	ND	ND	ND	ND	<0.58	< 1.4	< 1.4	< 1.4	< 1.4
Vinyl Acetate	ND	ND	ND	ND	< 0.51	< 1.4	< 1.4	< 1.4	< 1.4
1,1-Dichloroethane	ND	ND	ND	ND	< 0.44	< 1.6	< 1.6	< 1.6	< 1.6
2-Butanone (MEK)	0.66	2.5	1.1	1.9	0.88	< 7.4	< 7.4	< 7.4	10
Ethyl Acetate	3.1	ND	ND	1.3	5	-	-	-	-
n-Hexane	5.9	ND	1.2	ND	0.46	< 4.4	< 1.4	1.4	< 1.4
Chloroform	ND	ND	ND	ND	< 0.50	< 1.9	< 1.9	< 1.9	< 1.9
1,1,1-Trichloroethane	ND	ND	ND	ND	< 0.41	< 2.2	< 2.2	< 2.2	< 2.2
Carbon tetrachloride	ND	ND	ND	ND	0.74	< 2.5	< 2.5	< 2.5	< 2.5
Benzene	2	ND	ND	ND	0.61	3.2	< 1.3	1.3	< 1.3
Tetrahydrofuran	ND	1.6	2.2	ND	< 0.33	2.9	< 1.2	< 1.2	< 1.2
1,2-Dichloroethane	ND	ND	ND	ND	< 0.54	< 1.6	< 1.6	< 1.6	< 1.6
Cyclohexane	1.9	ND	ND	ND	< 0.58	1.8	< 1.4	< 1.4	< 1.4
Trichloroethylene/Trichloroethene	ND	ND	ND	ND	<0.32	< 2.1	< 2.1	< 2.1	< 2.1
1,2-Dichloropropane	ND	ND	ND	ND	< 0.45	< 1.8	< 1.8	< 1.8	< 1.8
Bromodichloromethane	ND	ND	ND	ND	< 0.35	< 2.7	< 2.7	< 2.7	< 2.7
Heptane	1.3	ND	ND	ND	< 0.43	< 1.6	< 1.6	4.5	< 1.6
cis-1,3-Dichloropropene	ND	ND	ND	ND	< 0.36	< 1.8	< 1.8	< 1.8	< 1.8
4-Methyl-2-pentanone (MIBK)	ND	ND	ND	ND	< 0.17	< 10	< 10	< 10	< 10
Toluene	5.4	4.1	3.2	8.1	1.2	1.8	< 1.5	3.8	< 1.5
trans-1,3-Dichloropropene	ND	ND	ND	ND	< 0.43	< 1.8	< 1.8	< 1.8	< 1.8
1,1,2-Trichloroethane	ND	ND	ND	ND	< 0.47	< 2.2	< 2.2	< 2.2	< 2.2
Tetrachloroethylene/Tetrachloroethene	ND	ND	ND	ND	< 0.62	< 2.7	< 2.7	< 2.7	< 2.7
2-Hexanone	ND	ND	ND	ND	< 0.28	-	-	-	-
Dibromochloromethane	ND	ND	ND	ND	< 0.52	< 3.4	< 3.4	< 3.4	< 3.4
1,2-Dibromoethane	ND	ND	ND	ND	< 0.50	< 3.1	< 3.1	< 3.1	< 3.1
Chlorobenzene	ND	ND	ND	ND	< 0.18	< 1.8	< 1.8	< 1.8	< 1.8
Ethylbenzene	ND	ND	ND	ND	< 0.38	< 1.7	< 1.7	< 1.7	< 1.7
m&p-Xylene	2.1	ND	ND	ND	< 0.74	< 3.5	< 3.5	4.1	< 3.5
o-Xylene	0.84	ND	ND	ND	< 0.30	< 1.7	< 1.7	< 1.7	< 1.7
Styrene	2.9	3.1	2.1	1.7	< 0.44	< 1.7	< 1.7	< 1.7	< 1.7
Bromoform	ND	ND	ND	ND	< 0.66	< 12	< 12	< 12	< 12
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	< 0.43	< 2.7	< 2.7	< 2.7	< 2.7
Benzyl Chloride	ND	ND	ND	ND	< 0.22	< 2.1	< 2.1	< 2.1	< 2.1
4-Ethyltoluene	ND	ND	ND	ND	< 0.29	< 2.0	< 2.0	< 2.0	< 2.0
1,3,5-Trimethylbenzene	ND	ND	ND	ND	< 0.26	< 2.0	< 2.0	< 2.0	< 2.0
1,2,4-Trimethylbenzene	1.4	ND	ND	ND	< 0.39	< 2.0	< 2.0	2.3	< 2.0
1,3-Dichlorobenzene	ND	ND	ND	ND	< 0.36	< 2.4	< 2.4	< 2.4	< 2.4
1,4-Dichlorobenzene	ND	ND	ND	ND	< 0.55	< 2.4	< 2.4	< 2.4	< 2.4
1,2-Dichlorobenzene	ND	ND	ND	ND	< 0.66	< 2.4	<2.4	<2.4	<2.4
1,2,4-Trichlorobenzene	ND	ND	ND	ND	< 1.1	< 9.3	< 9.3	< 9.3	< 9.3
Hexachloro-1,3-butadiene	ND	ND	ND	ND	< 0.84	< 13	<13	<13	<13
TPH (GC/MS) Low Fraction	-	-	-	-	-	-	< 410	< 410	450
Allyl chloride	-	-	-	-	-	< 1.3	< 1.3	< 1.3	< 1.3
tert-butyl alcohol	-	-	-	-	-	< 1.2	2.5	< 1.2	1.6
2-Chlorotoluene	-	-	-	-	-	< 2.1	< 2.1	< 2.1	< 2.1
1,4,-Dioxane	-	-	-	-	-	< 1.4	< 1.4	< 1.4	< 1.4
Ethanol	-	-	-	-	-	51	60	55	30
Trichlorofloromethane	-	-	-	-	-	9.6	2.4	< 2.2	< 2.2
1,1,2-Trichlorofluoroethane	-	-	-	-	-	< 3.1	<3.1	<3.1	<3.1
Isopropylbenzene	-	-	-	-	-	< 2.0	<2.0	<2.0	<2.0
Methyl Butyl Ketone	-	-	-	-	-	< 10	< 10	< 10	< 10
Methyl methacrylate	-	-	-	-	-	< 1.6	< 1.6	< 1.6	< 1.6
Napthalene	-	-	-	-	-	< 2.1	< 2.1	< 2.1	< 2.1
2-Propanol	-	-	-	-	-	69	42	20	110
Propene	-	-	-	-	-	< 1.4	2.1	< 1.4	< 1.4
2,2,4-Trimethylpentane	-	-	-	-	-	< 1.9	< 1.9	< 1.9	< 1.9
Vinyl Bromide	-	-	-	-	-	< 1.7	< 1.7	< 1.7	< 1.7

Name/Address	Gunnison Telephone 29 South Main	Gunnison Telephone 29 South Main	Gunnison Telephone 29 South Main	Gunnison Telephone 29 South Main	Gunnison Telephone 29 South Main
Collection Date	9/6/2007	7/15/2008	8/11/2008	9/17/2008	3/26/2009
Sample Type	Indoor	Indoor	Indoor	Indoor	Indoor
Notes	On Floor in Office	On Floor in Office	On Floor in Office	On Floor in Office	Countertop behind reception desk (NE corner)
Units	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3
Volatile Organics					
1,2-Dichlorotetrafluoroethane	-	-	-	-	-
Dichlorodifluoromethane	2.7	2.8	2.6	ND	2.7
Chloromethane	1.7	1.2	1.6	ND	1.6
Freon 114	ND	ND	ND	ND	< 0.71
Vinyl Chloride	ND	ND	ND	ND	< 0.24
1,3-Butadiene	ND	ND	ND	ND	< 0.43
Bromomethane	ND	ND	ND	ND	< 0.47
Chloroethane	ND	ND	ND	ND	< 0.36
Freon 11	20	10	7.8	4.4	4.3
cis-1,2-Dichloroethene	ND	ND	ND	ND	< 0.73
Carbon disulfide	ND	ND	ND	ND	< 0.51
Freon 113	ND	ND	ND	ND	0.8
Acetone	26	21	18	11	11
Methylene Chloride	1.4	1.8	2.1	ND	1.3
trans-1,2-Dichloroethene	ND	ND	ND	ND	< 0.79
1,1-Dichloroethene	ND	ND	ND	ND	< 1.3
MTBE	ND	ND	ND	ND	<0.58
Vinyl Acetate	ND	ND	ND	ND	< 0.51
1,1-Dichloroethane	ND	ND	ND	ND	< 0.44
2-Butanone (MEK)	ND	ND	3	ND	0.89
Ethyl Acetate	ND	ND	ND	ND	< 1.1
n-Hexane	8.3	1.5	2.4	1.3	3.4
Chloroform	ND	ND	ND	ND	< 0.50
1,1,1-Trichloroethane	ND	ND	ND	ND	0.8
Carbon tetrachloride	ND	ND	ND	ND	0.75
Benzene	1.8	ND	ND	ND	0.82
Tetrahydrofuran	ND	ND	ND	ND	< 0.33
1,2-Dichloroethane	ND	ND	ND	ND	< 0.54
Cyclohexane	ND	ND	ND	ND	< 0.58
Trichloroethylene/Trichloroethene	ND	ND	ND	3.8	<0.32
1,2-Dichloropropane	ND	ND	ND	ND	< 0.45
Bromodichloromethane	ND	ND	ND	ND	< 0.35
Heptane	1.6	ND	ND	ND	< 0.43
cis-1,3-Dichloropropene	ND	ND	ND	ND	< 0.36
4-Methyl-2-pentanone (MIBK)	ND	ND	ND	ND	< 0.17
Toluene	4.8	1.9	2.5	ND	2.8
trans-1,3-Dichloropropene	ND	ND	ND	ND	< 0.43
1,1,2-Trichloroethane	ND	ND	ND	ND	< 0.47
Tetrachloroethylene/Tetrachloroethene	ND	ND	ND	5.3	< 0.62
2-Hexanone	ND	ND	ND	ND	< 0.28
Dibromochloromethane	ND	ND	ND	ND	< 0.52
1,2-Dibromoethane	ND	ND	ND	ND	< 0.50
Chlorobenzene	ND	ND	ND	ND	< 0.18
Ethylbenzene	0.73	ND	ND	ND	< 0.38
m&p-Xylene	2.6	ND	ND	ND	1
o-Xylene	0.86	ND	ND	ND	< 0.30
Styrene	0.53	ND	ND	ND	< 0.44
Bromoform	ND	ND	ND	ND	< 0.66
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	< 0.43
Benzyl Chloride	ND	ND	ND	ND	< 0.22
4-Ethyltoluene	ND	ND	ND	ND	< 0.29
1,3,5-Trimethylbenzene	ND	ND	ND	ND	< 0.26
1,2,4-Trimethylbenzene	0.68	ND	ND	ND	< 0.39
1,3-Dichlorobenzene	ND	ND	ND	ND	< 0.36
1,4-Dichlorobenzene	ND	ND	ND	ND	< 0.55
1,2-Dichlorobenzene	ND	ND	ND	ND	< 0.66
1,2,4-Trichlorobenzene	ND	ND	ND	ND	< 1.1
Hexachloro-1,3-butadiene	ND	ND	ND	ND	< 0.84
TPH (GC/MS) Low Fraction	-	-	-	-	-
Allyl chloride	-	-	-	-	-
tert-butyl alcohol	-	-	-	-	-
2-Chlorotoluene	-	-	-	-	-
1,4,-Dioxane	-	-	-	-	-
Ethanol	-	-	-	-	-
Trichloroflorromethane	-	-	-	-	-
1,1,2-Trichlorofluoroethane	-	-	-	-	-
Isopropylbenzene	-	-	-	-	-
Methyl Butyl Ketone	-	-	-	-	-
Methyl methacrylate	-	-	-	-	-
Napthalene	-	-	-	-	-
2-Propanol	-	-	-	-	-
Propene	-	-	-	-	-
2,2,4-Trimethylpentane	-	-	-	-	-
Vinyl Bromide	-	-	-	-	-

Name/Address	Nails N Hair 65 South Main	Nails N Hair 65 South Main	Nails N Hair 65 South Main	Nails N Hair 65 South Main
Collection Date	7/15/2008	8/11/2008	9/17/2008	3/26/2009
Sample Type	Indoor	Indoor	Indoor	Indoor
Notes	On Table in Shop	On Table in Shop	On Table in Shop	Front tabletop, near doorway
Units	ug/m3	ug/m3	ug/m3	ug/m3
Volatile Organics				
1,2-Dichlorotetrafluoroethane	-	-	-	-
Dichlorodifluoromethane	2.9	2.5	2.4	2.7
Chloromethane	1.2	2	1.8	1.4
Freon 114	ND	ND	ND	< 0.71
Vinyl Chloride	ND	ND	ND	< 0.24
1,3-Butadiene	ND	ND	ND	< 0.43
Bromomethane	ND	ND	ND	< 0.47
Chloroethane	ND	ND	ND	< 0.36
Freon 11	4.9	4.2	2.9	2.5
cis-1,2-Dichloroethene	ND	ND	ND	< 0.73
Carbon disulfide	ND	ND	ND	< 0.51
Freon 113	ND	ND	ND	0.83
Acetone	560	710	240	250
Methylene Chloride	ND	2.6	1.6	0.67
trans-1,2-Dichloroethene	ND	ND	ND	< 0.79
1,1-Dichloroethene	ND	ND	ND	< 1.3
MTBE	ND	ND	ND	<0.58
Vinyl Acetate	ND	ND	ND	< 0.51
1,1-Dichloroethane	ND	ND	ND	< 0.44
2-Butanone (MEK)	210	620	180	110
Ethyl Acetate	1000	390	320	440
n-Hexane	ND	ND	ND	< 0.45
Chloroform	ND	ND	ND	< 0.50
1,1,1-Trichloroethane	ND	ND	ND	< 0.41
Carbon tetrachloride	ND	ND	ND	0.7
Benzene	ND	1.5	ND	0.82
Tetrahydrofuran	1.6	2.7	ND	< 0.33
1,2-Dichloroethane	ND	ND	ND	< 0.54
Cyclohexane	ND	ND	ND	< 0.58
Trichloroethylene/Trichloroethene	ND	ND	ND	<0.32
1,2-Dichloropropane	ND	ND	ND	< 0.45
Bromodichloromethane	ND	ND	ND	< 0.35
Heptane	ND	ND	ND	< 0.43
cis-1,3-Dichloropropene	ND	ND	ND	< 0.36
4-Methyl-2-pentanone (MIBK)	1.1	1.4	1.1	< 0.17
Toluene	72	56	40	22
trans-1,3-Dichloropropene	ND	ND	ND	< 0.43
1,1,2-Trichloroethane	ND	ND	ND	< 0.47
Tetrachloroethylene/Tetrachloroethene	6	5.4	4.2	2
2-Hexanone	500	ND	ND	< 0.28
Dibromochloromethane	ND	ND	ND	< 0.52
1,2-Dibromoethane	ND	ND	ND	< 0.50
Chlorobenzene	ND	ND	ND	< 0.18
Ethylbenzene	ND	1.3	ND	< 0.38
m&p-Xylene	3.7	2.9	ND	0.96
o-Xylene	2.3	1.3	ND	< 0.30
Styrene	ND	ND	ND	< 0.44
Bromoform	ND	ND	ND	< 0.66
1,1,2,2-Tetrachloroethane	ND	ND	ND	< 0.43
Benzyl Chloride	ND	ND	ND	< 0.22
4-Ethyltoluene	ND	ND	ND	< 0.29
1,3,5-Trimethylbenzene	ND	ND	ND	< 0.26
1,2,4-Trimethylbenzene	17	3.5	3.4	< 0.39
1,3-Dichlorobenzene	ND	ND	ND	< 0.36
1,4-Dichlorobenzene	ND	ND	ND	< 0.55
1,2-Dichlorobenzene	ND	ND	ND	< 0.66
1,2,4-Trichlorobenzene	ND	ND	ND	< 1.1
Hexachloro-1,3-butadiene	ND	ND	ND	< 0.84
TPH (GC/MS) Low Fraction	-	-	-	-
Allyl chloride	-	-	-	-
tert-butyl alcohol	-	-	-	-
2-Chlorotoluene	-	-	-	-
1,4,-Dioxane	-	-	-	-
Ethanol	-	-	-	-
Trichlorofloromethane	-	-	-	-
1,1,2-Trichlorofluoroethane	-	-	-	-
Isopropylbenzene	-	-	-	-
Methyl Butyl Ketone	-	-	-	-
Methyl methacrylate	-	-	-	-
Napthalene	-	-	-	-
2-Propanol	-	-	-	-
Propene	-	-	-	-
2,2,4-Trimethylpentane	-	-	-	-
Vinyl Bromide	-	-	-	-

Name/Address	Gunnison Valley Bank 10 South Main	Gunnison Valley Bank 10 South Main	Gunnison Valley Bank 10 South Main	Gunnison Valley Bank 10 South Main	Gunnison Valley Bank 10 South Main	Gunnison Valley Bank 10 South Main	Gunnison Valley Bank 10 South Main
Collection Date	10/23/2007	10/26/2007	1/7/2008	7/15/2008	8/11/2008	9/17/2008	3/26/2009
Sample Type	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor
Notes	Rear Storage	Unocupied Basement	Unocupied Basement	Upper Level	Upper Level	Upper Level	Upper Level floor, next to stairs
Units	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3
Volatile Organics							
1,2-Dichlorotetrafluoroethane	-	-	-	-	-	-	-
Dichlorodifluoromethane	4.1	3.1	2.9	2.9	2.9	2.3	2.7
Chloromethane	1.1	0.77	ND	0.88	1.5	1.2	< 0.29
Freon 114	2	ND	ND	ND	ND	ND	< 0.71
Vinyl Chloride	ND	ND	ND	ND	ND	ND	< 0.24
1,3-Butadiene	ND	ND	ND	ND	ND	ND	< 0.43
Bromomethane	ND	ND	ND	ND	ND	ND	< 0.47
Chloroethane	ND	ND	ND	ND	ND	ND	< 0.36
Freon 11	1.4	1.3	1.3	ND	ND	ND	1.6
cis-1,2-Dichloroethene	0.57	1.1	ND	ND	ND	ND	< 0.73
Carbon disulfide	ND	ND	0.55	2.8	ND	ND	< 0.51
Freon 113	1.8	1.2	1.5	ND	3.7	2.9	2.2
Acetone	ND	ND	17	29	30	28	9
Methylene Chloride	ND	ND	1.1	ND	2.6	ND	0.84
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	< 0.79
1,1-Dichloroethene	ND	ND	ND	ND	ND	ND	< 1.3
MTBE	ND	ND	ND	ND	ND	ND	<0.58
Vinyl Acetate	ND	ND	ND	1.5	ND	ND	< 0.51
1,1-Dichloroethane	ND	ND	ND	ND	ND	ND	< 0.44
2-Butanone (MEK)	ND	ND	ND	ND	ND	1.1	2
Ethyl Acetate	ND	ND	ND	1.5	ND	ND	< 1.1
n-Hexane	190	300	25	ND	1.6	1	< 0.45
Chloroform	ND	ND	ND	ND	ND	ND	< 0.50
1,1,1-Trichloroethane	0.97	ND	0.62	ND	ND	ND	< 0.41
Carbon tetrachloride	ND	ND	ND	ND	ND	ND	0.73
Benzene	5.6	8.8	1.9	ND	1.1	ND	0.73
Tetrahydrofuran	ND	ND	ND	ND	ND	ND	< 0.33
1,2-Dichloroethane	ND	ND	ND	ND	ND	ND	< 0.54
Cyclohexane	34	55	5.3	ND	ND	ND	< 0.58
Trichloroethylene/Trichloroethene	ND	ND	ND	ND	ND	ND	<0.32
1,2-Dichloropropane	ND	ND	ND	ND	ND	ND	< 0.45
Bromodichloromethane	ND	ND	ND	ND	ND	ND	< 0.35
Heptane	25	36	2.6	ND	ND	ND	< 0.43
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	< 0.36
4-Methyl-2-pentanone (MIBK)	ND	ND	ND	ND	ND	ND	< 0.17
Toluene	9.9	11	4.5	4.1	5.3	4.5	1.3
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	< 0.43
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	ND	< 0.47
Tetrachloroethylene/Tetrachloroethene	ND	1.1	ND	ND	ND	ND	< 0.62
2-Hexanone	ND	ND	ND	ND	ND	ND	< 0.28
Dibromochloromethane	ND	ND	ND	ND	ND	ND	< 0.52
1,2-Dibromoethane	ND	ND	ND	ND	ND	ND	< 0.50
Chlorobenzene	ND	ND	ND	ND	ND	ND	< 0.18
Ethylbenzene	0.69	0.84	ND	ND	ND	ND	< 0.38
m&p-Xylene	6.5	9.2	2.1	ND	2.9	2.4	1
o-Xylene	3.9	4.9	0.65	ND	ND	ND	< 0.30
Styrene	0.49	ND	ND	ND	ND	ND	< 0.44
Bromoform	ND	ND	ND	ND	ND	ND	< 0.66
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	ND	ND	< 0.43
Benzyl Chloride	ND	ND	ND	ND	ND	ND	< 0.22
4-Ethyltoluene	1.1	ND	ND	ND	ND	ND	< 0.29
1,3,5-Trimethylbenzene	1.5	0.99	ND	ND	ND	ND	< 0.26
1,2,4-Trimethylbenzene	3.4	0.91	0.59	1.7	1.4	ND	< 0.39
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	ND	< 0.36
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	ND	< 0.55
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	ND	< 0.66
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	ND	< 1.1
Hexachloro-1,3-butadiene	ND	ND	ND	ND	ND	ND	< 0.84
TPH (GC/MS) Low Fraction	-	3700	-	-	-	-	-
Allyl chloride	-	-	-	-	-	-	-
tert-butyl alcohol	-	-	-	-	-	-	-
2-Chlorotoluene	-	-	-	-	-	-	-
1,4,-Dioxane	-	-	-	-	-	-	-
Ethanol	-	-	-	-	-	-	-
Trichlorofloromethane	-	-	-	-	-	-	-
1,1,2-Trichlorofluoroethane	-	-	-	-	-	-	-
Isopropylbenzene	-	-	-	-	-	-	-
Methyl Butyl Ketone	-	-	-	-	-	-	-
Methyl methacrylate	-	-	-	-	-	-	-
Napthalene	-	-	-	-	-	-	-
2-Propanol	-	-	-	-	-	-	-
Propene	-	-	-	-	-	-	-
2,2,4-Trimethylpentane	-	-	-	-	-	-	-
Vinyl Bromide	-	-	-	-	-	-	-

Name/Address	State Farm Insurance 28 South Main	State Farm Insurance 28 South Main	State Farm Insurance 28 South Main	State Farm Insurance 28 South Main	State Farm Insurance 28 South Main
Collection Date	9/18/2007	7/15/2008	8/11/2008	9/17/2008	3/26/2009
Sample Type	Indoor	Indoor	Indoor	Indoor	Indoor
Notes		On Desk in Office	On Desk in Office	On Desk in Office	Desk in SW corner of main area
Units	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3
Volatile Organics					
1,2-Dichlorotetrafluoroethane	-	-	-	-	-
Dichlorodifluoromethane	3.5	3.1	2.8	2.5	2.7
Chloromethane	1.5	1.2	1.8	1.2	1.2
Freon 114	ND	ND	ND	ND	< 0.71
Vinyl Chloride	ND	ND	ND	ND	< 0.24
1,3-Butadiene	ND	ND	ND	ND	< 0.43
Bromomethane	ND	ND	ND	ND	< 0.47
Chloroethane	ND	ND	ND	ND	< 0.36
Freon 11	1.9	2.7	ND	ND	1.6
cis-1,2-Dichloroethene	ND	ND	ND	ND	< 0.73
Carbon disulfide	ND	ND	ND	ND	< 0.51
Freon 113	ND	ND	ND	ND	0.82
Acetone	43	77	47	3.8	13
Methylene Chloride	1.1	1.2	1.2	ND	0.67
trans-1,2-Dichloroethene	ND	ND	ND	ND	< 0.79
1,1-Dichloroethene	ND	ND	ND	ND	< 1.3
MTBE	ND	ND	ND	ND	<0.58
Vinyl Acetate	ND	ND	ND	ND	< 0.51
1,1-Dichloroethane	ND	ND	ND	ND	< 0.44
2-Butanone (MEK)	4.8	2.9	4.1	1.8	1
Ethyl Acetate	ND	1.1	ND	5.1	< 1.1
n-Hexane	1.4	1.1	2.7	ND	0.59
Chloroform	ND	ND	ND	ND	< 0.50
1,1,1-Trichloroethane	ND	ND	ND	ND	< 0.41
Carbon tetrachloride	ND	2	ND	ND	0.72
Benzene	1.5	1.6	1.7	1.1	0.78
Tetrahydrofuran	6.7	1.3	2.3	ND	< 0.33
1,2-Dichloroethane	ND	ND	ND	ND	< 0.54
Cyclohexane	ND	ND	ND	ND	< 0.58
Trichloroethylene/Trichloroethene	ND	ND	ND	ND	<0.32
1,2-Dichloropropane	ND	ND	ND	ND	< 0.45
Bromodichloromethane	ND	ND	ND	ND	< 0.35
Heptane	5.5	3.5	4.2	3.1	1.5
cis-1,3-Dichloropropene	ND	ND	ND	ND	< 0.36
4-Methyl-2-pentanone (MIBK)	ND	ND	ND	ND	< 0.17
Toluene	6	5.3	5.9	5.4	1.3
trans-1,3-Dichloropropene	ND	ND	ND	ND	< 0.43
1,1,2-Trichloroethane	ND	ND	ND	ND	< 0.47
Tetrachloroethylene/Tetrachloroethene	ND	ND	ND	ND	< 0.62
2-Hexanone	ND	ND	ND	ND	< 0.28
Dibromochloromethane	ND	ND	ND	ND	< 0.52
1,2-Dibromoethane	ND	ND	ND	ND	< 0.50
Chlorobenzene	ND	ND	ND	ND	< 0.18
Ethylbenzene	0.83	ND	ND	ND	< 0.38
m&p-Xylene	3.4	4.2	2.6	ND	0.74
o-Xylene	1.3	1.6	ND	ND	< 0.30
Styrene	0.69	ND	ND	ND	< 0.44
Bromoform	ND	ND	ND	ND	< 0.66
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	< 0.43
Benzyl Chloride	ND	ND	ND	ND	< 0.22
4-Ethyltoluene	0.97	ND	ND	ND	< 0.29
1,3,5-Trimethylbenzene	1.1	ND	ND	ND	< 0.26
1,2,4-Trimethylbenzene	3.5	1.8	1.2	ND	< 0.39
1,3-Dichlorobenzene	ND	ND	ND	ND	< 0.36
1,4-Dichlorobenzene	ND	ND	ND	ND	< 0.55
1,2-Dichlorobenzene	ND	ND	ND	ND	< 0.66
1,2,4-Trichlorobenzene	ND	ND	ND	ND	< 1.1
Hexachloro-1,3-butadiene	ND	ND	ND	ND	< 0.84
TPH (GC/MS) Low Fraction	77	-	-	-	-
Allyl chloride	-	-	-	-	-
tert-butyl alcohol	-	-	-	-	-
2-Chlorotoluene	-	-	-	-	-
1,4,-Dioxane	-	-	-	-	-
Ethanol	-	-	-	-	-
Trichloroflorromethane	-	-	-	-	-
1,1,2-Trichlorofluoroethane	-	-	-	-	-
Isopropylbenzene	-	-	-	-	-
Methyl Butyl Ketone	-	-	-	-	-
Methyl methacrylate	-	-	-	-	-
Napthalene	-	-	-	-	-
2-Propanol	-	-	-	-	-
Propene	-	-	-	-	-
2,2,4-Trimethylpentane	-	-	-	-	-
Vinyl Bromide	-	-	-	-	-

Name/Address	White Hills Trading Co. 74 South Main	White Hills Trading Co. 74 South Main	White Hills Trading Co. 74 South Main	White Hills Trading Co. 74 South Main	White Hills Trading Co. 74 South Main	White Hills Trading Co. 74 South Main	White Hills Trading Co. 74 South Main
Collection Date	9/6/2007	11/20/2007	7/15/2008	7/31/2008	8/11/2008	9/17/2008	3/26/2009
Sample Type	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor
Notes			On Floor in Store	On Floor in Store	On Floor in Store	On Floor in Store	NW corner of main store area
Units	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3
Volatile Organics							
1,2-Dichlorotetrafluoroethane	-	-	-	-	-	-	-
Dichlorodifluoromethane	2.7	2.5	3.3	2.3	2.9	2.3	2.7
Chloromethane	1.6	1.3	2.8	1.8	1.9	1.4	1.2
Freon 114	ND	ND	ND	ND	ND	ND	< 0.71
Vinyl Chloride	ND	ND	ND	ND	ND	ND	< 0.24
1,3-Butadiene	ND	ND	ND	ND	ND	ND	< 0.43
Bromomethane	ND	ND	ND	ND	ND	ND	< 0.47
Chloroethane	ND	ND	ND	ND	ND	ND	< 0.36
Freon 11	1.8	1.1	6.7	4.1	5	3.2	1.5
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	< 0.73
Carbon disulfide	0.56	ND	ND	ND	ND	ND	< 0.51
Freon 113	ND	ND	ND	ND	ND	ND	< 0.55
Acetone	30	8.1	58	61	34	8.9	14
Methylene Chloride	0.93	ND	ND	3.9	1.7	ND	0.55
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	< 0.79
1,1-Dichloroethene	ND	ND	ND	ND	ND	ND	< 1.3
MTBE	ND	ND	ND	ND	ND	ND	<0.58
Vinyl Acetate	ND	ND	ND	ND	ND	ND	< 0.51
1,1-Dichloroethane	ND	ND	ND	ND	ND	ND	< 0.44
2-Butanone (MEK)	0.64	ND	ND	38	4.1	ND	1.1
Ethyl Acetate	3.1	ND	ND	ND	ND	4.2	< 1.1
n-Hexane	3.4	0.68	41	ND	1.4	2	0.66
Chloroform	ND	ND	ND	ND	ND	ND	< 0.50
1,1,1-Trichloroethane	ND	ND	ND	ND	ND	ND	< 0.41
Carbon tetrachloride	ND	ND	ND	ND	ND	ND	0.73
Benzene	1.3	0.41	45	ND	ND	1.2	0.53
Tetrahydrofuran	ND	ND	ND	26	ND	ND	< 0.33
1,2-Dichloroethane	ND	ND	ND	ND	ND	ND	< 0.54
Cyclohexane	ND	ND	18	ND	ND	ND	< 0.58
Trichloroethylene/Trichloroethene	ND	ND	ND	ND	ND	ND	<0.32
1,2-Dichloropropane	ND	ND	ND	ND	ND	ND	< 0.45
Bromodichloromethane	ND	ND	ND	ND	ND	ND	< 0.35
Heptane	0.85	ND	33	ND	ND	ND	< 0.43
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	< 0.36
4-Methyl-2-pentanone (MIBK)	ND	ND	ND	ND	ND	ND	< 0.17
Toluene	4.1	1.1	340	4.8	4.4	4.8	0.92
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	< 0.43
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	ND	< 0.47
Tetrachloroethylene/Tetrachloroethene	ND	ND	ND	ND	ND	ND	< 0.62
2-Hexanone	ND	ND	ND	ND	ND	ND	< 0.28
Dibromochloromethane	ND	ND	ND	ND	ND	ND	< 0.52
1,2-Dibromoethane	ND	ND	ND	ND	ND	ND	< 0.50
Chlorobenzene	ND	ND	ND	ND	ND	ND	< 0.18
Ethylbenzene	ND	ND	40	ND	ND	2.9	< 0.38
m&p-Xylene	1.6	ND	300	3.9	ND	7	< 0.74
o-Xylene	0.66	ND	74	1.6	ND	3.4	< 0.30
Styrene	0.97	ND	1.6	1.3	ND	1.1	< 0.44
Bromoform	ND	ND	ND	ND	ND	ND	< 0.66
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	ND	ND	< 0.43
Benzyl Chloride	ND	ND	ND	ND	ND	ND	< 0.22
4-Ethyltoluene	ND	ND	14	ND	ND	ND	< 0.29
1,3,5-Trimethylbenzene	ND	ND	19	ND	ND	ND	< 0.26
1,2,4-Trimethylbenzene	0.88	ND	53	1.9	1.2	ND	< 0.39
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	ND	< 0.36
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	ND	< 0.55
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	ND	< 0.66
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	ND	< 1.1
Hexachloro-1,3-butadiene	ND	ND	ND	ND	ND	ND	< 0.84
TPH (GC/MS) Low Fraction	-	7.5	-	-	-	-	-
Allyl chloride	-	-	-	-	-	-	-
tert-butyl alcohol	-	-	-	-	-	-	-
2-Chlorotoluene	-	-	-	-	-	-	-
1,4,-Dioxane	-	-	-	-	-	-	-
Ethanol	-	-	-	-	-	-	-
Trichlorofloromethane	-	-	-	-	-	-	-
1,1,2-Trichlorofluoroethane	-	-	-	-	-	-	-
Isopropylbenzene	-	-	-	-	-	-	-
Methyl Butyl Ketone	-	-	-	-	-	-	-
Methyl methacrylate	-	-	-	-	-	-	-
Napthalene	-	-	-	-	-	-	-
2-Propanol	-	-	-	-	-	-	-
Propene	-	-	-	-	-	-	-
2,2,4-Trimethylpentane	-	-	-	-	-	-	-
Vinyl Bromide	-	-	-	-	-	-	-

Name/Address	His N Hers 98 South Main	His N Hers 98 South Main	His N Hers 98 South Main	His N Hers 98 South Main	His N Hers 98 South Main	His N Hers 98 South Main	His N Hers 98 South Main	His N Hers 98 South Main	His N Hers 98 South Main
Collection Date	9/6/2007	11/19/2007	2/7/2008	4/16/2008	7/15/2008	8/11/2008	9/17/2008	3/26/2009	5/5/2009
Sample Type	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Sub-slab
Notes	On Table in Center of Store	On Table in Center of Store	On Table in Center of Store	On Table in Center of Store	On Table in Center of Store	On Table in Center of Store	On Table in Center of Store	Tabletop in center of store	Under basement slab, east side
Units	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3
Volatile Organics				-					
1,2-Dichlorotetrafluoroethane	-	-	-	-	-	-	-	-	< 2.8
Dichlorodifluoromethane	2.8	2.5	2.8	-	2.8	2.7	2.3	2.7	2.5
Chloromethane	1.6	1	1.3	-	0.91	1.8	1.2	1.2	< 0.83
Freon 114	ND	ND	ND	-	ND	ND	ND	< 0.71	-
Vinyl Chloride	ND	ND	ND	-	ND	ND	ND	< 0.24	< 1.0
1,3-Butadiene	ND	ND	ND	-	ND	ND	ND	< 0.43	< 8.9
Bromomethane	ND	ND	ND	-	ND	ND	ND	< 0.47	< 1.6
Chloroethane	ND	ND	ND	-	ND	ND	ND	< 0.36	< 1.1
Freon 11	1.4	1.4	1.9	-	ND	ND	ND	1.5	-
cis-1,2-Dichloroethene	ND	ND	ND	-	ND	ND	ND	< 0.73	< 1.6
Carbon disulfide	ND	ND	ND	-	ND	ND	ND	0.73	< 1.2
Freon 113	ND	ND	ND	-	ND	ND	ND	0.84	-
Acetone	12	ND	16	-	14	19	15	18	50
Methylene Chloride	0.87	ND	1.5	-	ND	ND	ND	0.97	2.3
trans-1,2-Dichloroethene	ND	ND	ND	-	ND	ND	ND	< 0.79	< 1.6
1,1-Dichloroethene	ND	ND	ND	-	ND	ND	ND	< 1.3	< 1.6
MTBE	ND	ND	ND	-	ND	ND	ND	<0.58	< 1.4
Vinyl Acetate	ND	ND	ND	-	ND	ND	ND	< 0.51	< 1.4
1,1-Dichloroethane	ND	ND	ND	-	ND	ND	ND	< 0.44	< 1.6
2-Butanone (MEK)	ND	ND	ND	-	ND	21	ND	3.9	< 7.4
Ethyl Acetate	3.6	ND	ND	-	ND	ND	ND	< 1.1	-
n-Hexane	2.9	270	59	-	ND	1.9	2.6	0.89	< 1.4
Chloroform	ND	ND	ND	-	ND	ND	ND	< 0.50	< 1.9
1,1,1-Trichloroethane	ND	ND	ND	-	ND	ND	ND	< 0.41	< 2.2
Carbon tetrachloride	ND	ND	ND	-	ND	ND	ND	0.75	< 2.5
Benzene	1	53	13	2.3	1	1.1	ND	0.87	< 1.3
Tetrahydrofuran	ND	ND	ND	-	ND	10	ND	< 0.33	< 1.2
1,2-Dichloroethane	ND	ND	ND	-	ND	ND	ND	< 0.54	< 1.6
Cyclohexane	ND	72	13	-	ND	ND	ND	< 0.58	3
Trichloroethylene/Trichloroethene	ND	ND	ND	-	ND	ND	ND	<0.32	< 2.1
1,2-Dichloropropane	ND	ND	ND	-	ND	ND	ND	< 0.45	< 1.8
Bromodichloromethane	ND	ND	ND	-	ND	ND	ND	< 0.35	< 2.7
Heptane	0.59	34	20	-	ND	ND	1.5	3.8	1.8
cis-1,3-Dichloropropene	ND	ND	ND	-	ND	ND	ND	< 0.36	< 1.8
4-Methyl-2-pentanone (MIBK)	ND	ND	ND	-	ND	ND	ND	< 0.17	< 10
Toluene	2.8	180	46	97	5.6	5.5	4.7	18	3.6
trans-1,3-Dichloropropene	ND	ND	ND	-	ND	ND	ND	< 0.43	< 1.8
1,1,2-Trichloroethane	ND	ND	ND	-	ND	ND	ND	< 0.47	< 2.2
Tetrachloroethylene/Tetrachloroethene	ND	ND	ND	-	ND	ND	ND	< 0.62	< 2.7
2-Hexanone	ND	ND	ND	-	ND	ND	ND	< 0.28	-
Dibromochloromethane	ND	ND	ND	-	ND	ND	ND	< 0.52	< 3.4
1,2-Dibromoethane	ND	ND	ND	-	ND	ND	ND	< 0.50	< 3.1
Chlorobenzene	ND	ND	ND	-	ND	ND	ND	< 0.18	< 1.8
Ethylbenzene	ND	22	4.1	14	ND	ND	ND	< 0.38	< 1.7
m&p-Xylene	1.2	120	26	77	6.5	3.7	4.6	1.5	< 3.5
o-Xylene	ND	40	9.3		2.4	1.4	2.1	0.57	< 1.7
Styrene	ND	ND	ND	-	ND	ND	ND	< 0.44	< 1.7
Bromoform	ND	ND	ND	-	ND	ND	ND	< 0.66	< 12
1,1,2,2-Tetrachloroethane	ND	ND	ND	-	ND	ND	ND	< 0.43	< 2.7
Benzyl Chloride	ND	ND	ND	-	ND	ND	ND	< 0.22	< 2.1
4-Ethyltoluene	ND	6.9	1.7	-	ND	ND	ND	< 0.29	< 2.0
1,3,5-Trimethylbenzene	ND	9	1.9	-	ND	ND	ND	< 0.26	< 2.0
1,2,4-Trimethylbenzene	ND	26	4.7	-	1.8	1.6	1.8	0.52	< 2.0
1,3-Dichlorobenzene	ND	ND	ND	-	ND	ND	ND	< 0.36	< 2.4
1,4-Dichlorobenzene	ND	ND	ND	-	ND	ND	ND	< 0.55	< 2.4
1,2-Dichlorobenzene	ND	ND	ND	-	ND	ND	ND	< 0.66	< 2.4
1,2,4-Trichlorobenzene	ND	ND	ND	-	ND	ND	ND	< 1.1	< 9.3
Hexachloro-1,3-butadiene	ND	ND	ND	-	ND	ND	ND	< 0.84	< 13
TPH (GC/MS) Low Fraction	-	-	-	-	-	-	-	-	-
Allyl chloride	-	-	-	-	-	-	-	-	< 1.3
tert-butyl alcohol	-	-	-	-	-	-	-	-	1.6
2-Chlorotoluene	-	-	-	-	-	-	-	-	< 2.1
1,4,-Dioxane	-	-	-	-	-	-	-	-	< 1.4
Ethanol	-	-	-	-	-	-	-	-	320
Trichlorofloromethane	-	-	-	-	-	-	-	-	<2.2
1,1,2-Trichlorofluoroethane	-	-	-	-	-	-	-	-	< 3.1
Isopropylbenzene	-	-	-	-	-	-	-	-	< 2.0
Methyl Butyl Ketone	-	-	-	-	-	-	-	-	65
Methyl methacrylate	-	-	-	-	-	-	-	-	< 1.6
Napthalene	-	-	-	-	-	-	-	-	< 2.1
2-Propanol	-	-	-	-	-	-	-	-	150
Propene	-	-	-	-	-	-	-	-	< 1.4
2,2,4-Trimethylpentane	-	-	-	-	-	-	-	-	< 1.9
Vinyl Bromide	-	-	-	-	-	-	-	-	< 1.7

Name/Address	Home Town Café (Malt Shop) 30 South Main	Home Town Café 50 South Main	Home Town Apartment 50 South Main	Home Town Apartment 50 South Main	Home Town Café 50 South Main	Home Town Café 50 South Main
Collection Date	9/18/2007	9/18/2007	11/20/2007	11/20/2007	3/26/2009	6/10/2009
Sample Type	Indoor	Indoor	Indoor	Indoor	Indoor	Sub-slab
Notes		Basement		Basement	Basement, bottom of stairs near doorways	Basement, east side
Units	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3
Volatile Organics						
1,2-Dichlorotetrafluoroethane	-	-	-	-	-	< 5.6
Dichlorodifluoromethane	7.1	4.2	3.4	3.2	3.2	4.7
Chloromethane	1.4	1.3	0.97	1	1.3	< 1.7
Freon 114	ND	ND	ND	ND	< 0.71	-
Vinyl Chloride	ND	ND	ND	ND	< 0.24	< 2.0
1,3-Butadiene	4.7	6.8	ND	ND	< 0.43	< 18
Bromomethane	ND	ND	ND	ND	< 0.47	< 3.1
Chloroethane	ND	ND	ND	ND	< 0.36	< 2.1
Freon 11	ND	2.5	1.3	1.5	2	-
cis-1,2-Dichloroethene	ND	ND	ND	ND	< 0.73	< 3.2
Carbon disulfide	ND	ND	ND	3.4	< 0.51	< 2.5
Freon 113	ND	ND	ND	ND	0.87	-
Acetone	330	ND	16	8.8	17	120
Methylene Chloride	1.2	3.3	ND	0.72	1.5	< 2.8
trans-1,2-Dichloroethene	ND	ND	ND	ND	< 0.79	< 3.2
1,1-Dichloroethene	ND	ND	ND	ND	< 1.3	< 3.2
MTBE	ND	ND	ND	ND	<0.58	< 2.9
Vinyl Acetate	ND	ND	ND	ND	< 0.51	< 2.8
1,1-Dichloroethane	ND	ND	ND	ND	< 0.44	< 3.2
2-Butanone (MEK)	3.5	3.5	1.4	ND	1.7	< 15
Ethyl Acetate	3.2	1	ND	ND	< 1.1	-
n-Hexane	5	24	1.7	8.3	0.71	< 8.9
Chloroform	ND	0.97	ND	ND	2	< 3.9
1,1,1-Trichloroethane	ND	ND	ND	ND	< 0.41	< 4.4
Carbon tetrachloride	ND	ND	ND	ND	0.74	< 5.0
Benzene	11	8.1	1.2	1.2	0.74	< 2.6
Tetrahydrofuran	14	16	ND	ND	< 0.33	< 2.4
1,2-Dichloroethane	ND	ND	ND	ND	< 0.54	< 3.2
Cyclohexane	3.5	13	ND	2.1	< 0.58	< 2.8
Trichloroethylene/Trichloroethene	ND	ND	ND	ND	<0.32	< 4.3
1,2-Dichloropropane	ND	ND	ND	ND	< 0.45	< 3.7
Bromodichloromethane	ND	ND	ND	ND	< 0.35	< 5.4
Heptane	10	4.8	0.67	1.5	0.7	< 3.3
cis-1,3-Dichloropropene	ND	ND	ND	ND	< 0.36	< 3.6
4-Methyl-2-pentanone (MIBK)	ND	ND	ND	ND	< 0.17	< 20
Toluene	140	36	3.7	3.7	3.7	< 3.0
trans-1,3-Dichloropropene	ND	ND	ND	ND	< 0.43	< 3.6
1,1,2-Trichloroethane	ND	ND	ND	ND	< 0.47	< 4.4
Tetrachloroethylene/Tetrachloroethene	ND	ND	ND	ND	< 0.62	< 5.4
2-Hexanone	ND	ND	ND	ND	< 0.28	-
Dibromochloromethane	ND	ND	ND	ND	< 0.52	< 6.8
1,2-Dibromoethane	ND	ND	ND	ND	< 0.50	< 6.2
Chlorobenzene	ND	ND	ND	ND	< 0.18	< 3.7
Ethylbenzene	1.2	1.4	ND	ND	< 0.38	< 3.5
m&p-Xylene	4.3	5.2	2	0.67	1.5	< 6.9
o-Xylene	1.5	1.8	0.54		< 0.30	< 3.5
Styrene	1	1	ND	ND	< 0.44	< 3.4
Bromoform	ND	ND	ND	ND	< 0.66	< 25
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	< 0.43	< 5.5
Benzyl Chloride	ND	ND	ND	ND	< 0.22	< 4.2
4-Ethyltoluene	2.3	1.1	ND	ND	< 0.29	< 3.9
1,3,5-Trimethylbenzene	2	1.2	ND	ND	< 0.26	< 3.9
1,2,4-Trimethylbenzene	3.7	2.5	0.67	ND	0.99	< 3.9
1,3-Dichlorobenzene	ND	ND	ND	ND	< 0.36	< 4.8
1,4-Dichlorobenzene	2	3.4	1.8	0.79	1	< 4.8
1,2-Dichlorobenzene	ND	ND	ND	ND	< 0.66	< 4.8
1,2,4-Trichlorobenzene	ND	ND	ND	ND	< 1.1	< 19
Hexachloro-1,3-butadiene	ND	ND	ND	ND	< 0.84	< 27
TPH (GC/MS) Low Fraction	380	180	37	130	-	< 830
Allyl chloride	-	-	-	-	-	< 2.5
tert-butyl alcohol	-	-	-	-	-	< 2.4
2-Chlorotoluene	-	-	-	-	-	< 4.1
1,4,-Dioxane	-	-	-	-	-	< 2.9
Ethanol	-	-	-	-	-	49
Trichlorofloromethane	-	-	-	-	-	< 4.5
1,1,2-Trichlorofluoroethane	-	-	-	-	-	< 6.1
Isopropylbenzene	-	-	-	-	-	< 3.9
Methyl Butyl Ketone	-	-	-	-	-	< 20
Methyl methacrylate	-	-	-	-	-	< 3.3
Napthalene	-	-	-	-	-	< 4.2
2-Propanol	-	-	-	-	-	640
Propene	-	-	-	-	-	< 2.8
2,2,4-Trimethylpentane	-	-	-	-	-	< 3.7
Vinyl Bromide	-	-	-	-	-	< 3.5

Name/Address	Gunnison Barber Shop 76 South Main	Gunnison Barber Shop 76 South Main	Gunnison Barber Shop 76 South Main	Gunnison Barber Shop 76 South Main	Gunnison Barber Shop 76 South Main
Collection Date	7/15/2008	7/30/2008	8/11/2008	9/17/2008	3/26/2009
Sample Type	Indoor	Indoor	Indoor	Indoor	Indoor
Notes	On Floor in SE Corner	On Floor in SE Corner	On Floor in SE Corner	On Floor in SE Corner	Shop floor, SE corner
Units	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3
Volatile Organics					
1,2-Dichlorotetrafluoroethane	-	-	-	-	-
Dichlorodifluoromethane	2.9	2.2	2.7	ND	2.9
Chloromethane	0.9	0.91	1.5	1	1.3
Freon 114	ND	ND	ND	ND	< 0.71
Vinyl Chloride	ND	ND	ND	ND	< 0.24
1,3-Butadiene	ND	ND	ND	ND	< 0.43
Bromomethane	ND	ND	ND	ND	< 0.47
Chloroethane	ND	ND	ND	ND	< 0.36
Freon 11	ND	ND	ND	ND	1.6
cis-1,2-Dichloroethene	ND	ND	ND	ND	< 0.73
Carbon disulfide	ND	ND	ND	ND	< 0.51
Freon 113	ND	ND	ND	ND	0.89
Acetone	100	67	130	12	30
Methylene Chloride	ND	7.1	4.4	ND	1.1
trans-1,2-Dichloroethene	ND	ND	ND	ND	< 0.79
1,1-Dichloroethene	ND	ND	ND	ND	< 1.3
MTBE	ND	ND	ND	ND	<0.58
Vinyl Acetate	ND	ND	ND	ND	< 0.51
1,1-Dichloroethane	ND	ND	ND	ND	< 0.44
2-Butanone (MEK)	4.4	6.2	12	4.8	2.7
Ethyl Acetate	1.8	ND	3.8	ND	< 1.1
n-Hexane	50	ND	2.2	48	0.82
Chloroform	ND	ND	ND	ND	< 0.50
1,1,1-Trichloroethane	ND	ND	ND	ND	< 0.41
Carbon tetrachloride	ND	ND	ND	ND	0.68
Benzene	61	2.2	1.5	13	0.8
Tetrahydrofuran	1.3	ND	5.8	ND	< 0.33
1,2-Dichloroethane	ND	ND	ND	ND	< 0.54
Cyclohexane	26	3.8	2.6	26	< 0.58
Trichloroethylene/Trichloroethene	ND	ND	ND	ND	<0.32
1,2-Dichloropropane	ND	ND	ND	ND	< 0.45
Bromodichloromethane	ND	ND	ND	ND	< 0.35
Heptane	56	2.9	1.9	39	0.44
cis-1,3-Dichloropropene	ND	ND	ND	ND	< 0.36
4-Methyl-2-pentanone (MIBK)	ND	ND	ND	ND	< 0.17
Toluene	460	56	11	82	4.3
trans-1,3-Dichloropropene	ND	ND	ND	ND	< 0.43
1,1,2-Trichloroethane	ND	ND	ND	ND	< 0.47
Tetrachloroethylene/Tetrachloroethene	17	6.5	5.9	ND	0.9
2-Hexanone	ND	ND	ND	ND	< 0.28
Dibromochloromethane	ND	ND	ND	ND	< 0.52
1,2-Dibromoethane	ND	ND	ND	ND	< 0.50
Chlorobenzene	ND	ND	ND	ND	< 0.18
Ethylbenzene	54	18	3.6	19	0.47
m&p-Xylene	120	140	26	150	1.2
o-Xylene		58	12	82	0.52
Styrene	ND	1.1	1.4	ND	< 0.44
Bromoform	ND	ND	ND	ND	< 0.66
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	< 0.43
Benzyl Chloride	ND	ND	ND	ND	< 0.22
4-Ethyltoluene	21	12	3.2	29	< 0.29
1,3,5-Trimethylbenzene	30	24	6.7	41	< 0.26
1,2,4-Trimethylbenzene	83	68	19	92	0.51
1,3-Dichlorobenzene	ND	ND	ND	ND	< 0.36
1,4-Dichlorobenzene	ND	ND	ND	ND	< 0.55
1,2-Dichlorobenzene	ND	ND	ND	ND	< 0.66
1,2,4-Trichlorobenzene	ND	ND	ND	ND	< 1.1
Hexachloro-1,3-butadiene	ND	ND	ND	ND	< 0.84
TPH (GC/MS) Low Fraction	-	-	-	-	-
Allyl chloride	-	-	-	-	-
tert-butyl alcohol	-	-	-	-	-
2-Chlorotoluene	-	-	-	-	-
1,4,-Dioxane	-	-	-	-	-
Ethanol	-	-	-	-	-
Trichlorofloromethane	-	-	-	-	-
1,1,2-Trichlorofluoroethane	-	-	-	-	-
Isopropylbenzene	-	-	-	-	-
Methyl Butyl Ketone	-	-	-	-	-
Methyl methacrylate	-	-	-	-	-
Napthalene	-	-	-	-	-
2-Propanol	-	-	-	-	-
Propene	-	-	-	-	-
2,2,4-Trimethylpentane	-	-	-	-	-
Vinyl Bromide	-	-	-	-	-

Name/Address	Jensen Drug 77 South Main	Jensen Drug 77 South Main	Jensen Drug 77 South Main	Jensen Drug 77 South Main	Jensen Drug 77 South Main	Jensen Drug 77 South Main
Collection Date	12/3/2007	7/15/2008	8/11/2008	9/17/2008	3/23/2009	6/9/2009
Sample Type	Indoor	Indoor	Indoor	Indoor	Indoor	Near-slab
Notes		On Floor in Front of Counter	On Floor in Front of Counter	On Floor in Front of Counter	Near Counter	Crawl space in basement
Units	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3
Volatile Organics						
1,2-Dichlorotetrafluoroethane		-	-	-		< 2.8
Dichlorodifluoromethane	11	37	25	30	16	3.1
Chloromethane	ND	2.6	3.2	2.9	2.6	1.1
Freon 114	ND	ND	ND	ND	< 0.71	-
Vinyl Chloride	ND	ND	ND	ND	< 0.24	< 1.0
1,3-Butadiene	ND	ND	ND	ND	< 0.43	< 8.9
Bromomethane	ND	ND	ND	ND	< 0.47	< 1.6
Chloroethane	ND	1.3	1	ND	< 0.36	< 1.1
Freon 11	2.8	9.7	5.2	6.5	2.4	-
cis-1,2-Dichloroethene	ND	ND	ND	ND	< 0.73	< 1.6
Carbon disulfide	ND	ND	2.3	ND	< 0.51	1.9
Freon 113	ND	ND	ND	ND	< 0.55	-
Acetone	440	260	190	210	160	67
Methylene Chloride	1.7	3.6	19	3.6	1.6	3.8
trans-1,2-Dichloroethene	ND	ND	ND	ND	< 0.79	< 1.6
1,1-Dichloroethene	ND	ND	ND	ND	< 1.3	< 1.6
MTBE	ND	ND	ND	ND	<0.58	< 1.4
Vinyl Acetate	ND	ND	ND	ND	< 0.51	< 1.4
1,1-Dichloroethane	ND	ND	ND	ND	< 0.44	< 1.6
2-Butanone (MEK)	3.3	5.3	10	9	1.9	< 7.4
Ethyl Acetate	13	34	51	46	18	-
n-Hexane	1.7	2.6	3.7	ND	35	< 4.4
Chloroform	ND	ND	ND	ND	< 0.50	< 1.9
1,1,1-Trichloroethane	ND	ND	ND	ND	< 0.41	< 2.2
Carbon tetrachloride	ND	2.3	ND	ND	< 0.46	< 2.5
Benzene	1.3	4.1	4.9	12	1.8	1.3
Tetrahydrofuran	ND	1	3.9	ND	< 0.33	< 1.2
1,2-Dichloroethane	15	170	82	130	23	< 1.6
Cyclohexane	1.2	2.5	2.2	2.3	< 0.58	2.2
Trichloroethylene/Trichloroethene	ND	ND	ND	ND	<0.32	< 2.1
1,2-Dichloropropane	ND	ND	ND	ND	< 0.45	< 1.8
Bromodichloromethane	ND	ND	ND	ND	< 0.35	< 2.7
Heptane	2.1	5.8	ND	7.5	20	1.9
cis-1,3-Dichloropropene	ND	ND	ND	ND	< 0.36	< 1.8
4-Methyl-2-pentanone (MIBK)	ND	2.5	ND	3	< 0.17	< 10
Toluene	4.5	6.7	15	22	7.3	3.2
trans-1,3-Dichloropropene	ND	ND	ND	ND	< 0.43	< 1.8
1,1,2-Trichloroethane	ND	ND	ND	ND	< 0.47	< 2.2
Tetrachloroethylene/Tetrachloroethene	2.5	8.6	5.8	7.4	4.7	< 2.7
2-Hexanone	ND	2.7	ND	ND	< 0.28	-
Dibromochloromethane	ND	ND	ND	ND	< 0.52	< 3.4
1,2-Dibromoethane	ND	ND	ND	ND	< 0.50	< 3.1
Chlorobenzene	ND	ND	ND	ND	< 0.18	< 1.8
Ethylbenzene	ND	2.3	3.1	5.6	0.48	2.2
m&p-Xylene	2.2	1.9	5.9	7.6	1.4	4.3
o-Xylene	0.79		2	2.5	0.54	< 1.7
Styrene	2.2	6.7	7.4	5.9	0.76	< 1.7
Bromoform	ND	ND	ND	ND	< 0.66	< 12
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	< 0.43	< 2.7
Benzyl Chloride	ND	ND	ND	ND	< 0.22	< 2.1
4-Ethyltoluene	ND	ND	ND	ND	0.64	< 2.0
1,3,5-Trimethylbenzene	ND	ND	ND	ND	0.63	< 2.0
1,2,4-Trimethylbenzene	0.77	2.1	2.1	2.2	1.6	2.1
1,3-Dichlorobenzene	ND	ND	ND	ND	< 0.36	< 2.4
1,4-Dichlorobenzene	ND	ND	ND	ND	< 0.55	< 2.4
1,2-Dichlorobenzene	ND	ND	ND	ND	< 0.66	< 2.4
1,2,4-Trichlorobenzene	ND	ND	ND	ND	< 1.1	< 9.3
Hexachloro-1,3-butadiene	ND	ND	ND	ND	< 0.84	< 13
TPH (GC/MS) Low Fraction	-	-	-	-	-	< 410
Allyl chloride	-	-	-	-	-	< 1.3
tert-butyl alcohol	-	-	-	-	-	1.3
2-Chlorotoluene	-	-	-	-	-	< 2.1
1,4,-Dioxane	-	-	-	-	-	< 1.4
Ethanol	-	-	-	-	-	55
Trichlorofloromethane	-	-	-	-	-	<2.2
1,1,2-Trichlorofluoroethane	-	-	-	-	-	< 3.1
Isopropylbenzene	-	-	-	-	-	< 2.0
Methyl Butyl Ketone	-	-	-	-	-	< 10
Methyl methacrylate	-	-	-	-	-	< 1.6
Napthalene	-	-	-	-	-	< 2.1
2-Propanol	-	-	-	-	-	39
Propene	-	-	-	-	-	< 1.4
2,2,4-Trimethylpentane	-	-	-	-	-	2.8
Vinyl Bromide	-	-	-	-	-	< 1.7

Name/Address	26 West 100 South	26 West 100 South	26 West 100 South	26 West 100 South	26 West 100 South	26 West 100 South	26 West 100 South	26 West 100 South	26 West 100 South
Collection Date	11/16/2007	12/3/2007	1/7/2008	4/2/2008	7/10/2008	8/7/2008	9/4/2008	3/23/2009	4/29/2009
Sample Type	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Sub-slab
Notes		Bedroom Storage Room			Kitchen Floor	Kitchen Floor	Kitchen Floor	Kitchen floor	Basement east side
Units	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3
Volatile Organics									
1,2-Dichlorotetrafluoroethane	-	-	-	-	-	-	-	-	<2.8
Dichlorodifluoromethane	2.7	2.7	3.4	2.6	3.3	2.3	2.2	2.7	2.7
Chloromethane	4.3	1	1.2	1.4	0.97	1.6	1.3	1.2	5.2
Freon 114	ND	ND	ND	ND	ND	ND	ND	< 0.71	-
Vinyl Chloride	ND	ND	ND	ND	ND	ND	ND	< 0.24	< 1.0
1,3-Butadiene	ND	ND	ND	ND	ND	ND	ND	< 0.43	< 8.9
Bromomethane	ND	ND	ND	ND	ND	ND	ND	< 0.47	< 1.6
Chloroethane	ND	ND	ND	ND	ND	ND	ND	< 0.36	< 1.1
Freon 11	1.4	1.2	1.3	ND	4.8	ND	ND	1.6	-
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	< 0.73	< 1.6
Carbon disulfide	ND	ND	ND	ND	2.2	ND	ND	1.8	2.1
Freon 113	ND	ND	ND	ND	ND	ND	ND	< 0.55	-
Acetone	ND	ND	5.3	7.3	23	17	6.2	44	67
Methylene Chloride	ND	7.3	0.71	2	ND	2.2	1.4	0.5	2.7
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	< 0.79	< 1.6
1,1-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	< 1.3	< 1.6
MTBE	ND	ND	ND	ND	ND	ND	ND	<0.58	< 1.4
Vinyl Acetate	ND	ND	ND	ND	ND	ND	ND	< 0.51	< 1.4
1,1-Dichloroethane	ND	ND	ND	ND	ND	ND	ND	< 0.44	< 1.6
2-Butanone (MEK)	5.4	3.2	ND	ND	ND	0.87	2.2	2	< 7.4
Ethyl Acetate	ND	ND	ND	ND	ND	ND	30	4	-
n-Hexane	310	240	2.1	ND	ND	ND	1.9	0.62	< 4.4
Chloroform	ND	ND	ND	ND	ND	ND	4.9	7	< 1.9
1,1,1-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	< 0.41	< 2.2
Carbon tetrachloride	ND	ND	ND	ND	ND	ND	ND	< 0.46	< 2.5
Benzene	25	17	1.2	1.7	ND	1.1	1.7	0.6	2.4
Tetrahydrofuran	ND	ND	ND	ND	ND	1.5	2.3	< 0.33	1.6
1,2-Dichloroethane	ND	ND	ND	ND	ND	ND	2.9	1.4	< 1.6
Cyclohexane	94	49	ND	ND	ND	ND	ND	< 0.58	3.1
Trichloroethylene/Trichloroethene	ND	ND	ND	ND	ND	ND	ND	<0.32	< 2.1
1,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	< 0.45	< 1.8
Bromodichloromethane	ND	ND	ND	ND	ND	ND	ND	< 0.35	< 2.7
Heptane	24	13	ND	ND	ND	ND	1.9	0.58	2.4
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	< 0.36	< 1.8
4-Methyl-2-pentanone (MIBK)	ND	ND	ND	ND	ND	ND	ND	< 0.17	<10
Toluene	60	20	2.4	3.1	1.4	3.2	4.7	6.1	7.5
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	< 0.43	< 1.8
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	< 0.47	< 2.2
Tetrachloroethylene/Tetrachloroethene	ND	ND	ND	ND	2.9	ND	ND	< 0.62	< 2.7
2-Hexanone	ND	ND	ND	ND	ND	ND	ND	< 0.28	-
Dibromochloromethane	ND	ND	ND	ND	ND	ND	ND	< 0.52	< 3.4
1,2-Dibromoethane	ND	ND	ND	ND	ND	ND	ND	< 0.50	< 3.1
Chlorobenzene	ND	ND	ND	ND	ND	ND	ND	< 0.18	< 1.8
Ethylbenzene	4.1	0.95	0.95	ND	ND	ND	ND	< 0.38	< 1.7
m&p-Xylene	20	3.9	3.6	2.9	ND	ND	ND	< 0.74	5.6
o-Xylene	7.5	2.6	0.69		ND	ND	ND	< 0.30	2.3
Styrene	1	ND	ND	ND	ND	ND	ND	< 0.44	< 1.7
Bromoform	ND	ND	ND	ND	ND	ND	ND	< 0.66	< 12
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	ND	ND	ND	< 0.43	< 2.7
Benzyl Chloride	ND	ND	ND	ND	ND	ND	ND	< 0.22	< 2.1
4-Ethyltoluene	1.4	ND	ND	ND	ND	ND	ND	< 0.29	< 2.0
1,3,5-Trimethylbenzene	1.2	ND	ND	ND	ND	ND	ND	< 0.26	< 2.0
1,2,4-Trimethylbenzene	4.2	0.61	ND	ND	ND	ND	ND	< 0.39	2.3
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	< 0.36	< 2.4
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	27	ND	< 0.55	< 2.4
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	< 0.66	<2.4
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	ND	ND	< 1.1	< 9.3
Hexachloro-1,3-butadiene	ND	ND	ND	ND	ND	ND	ND	< 0.84	<13
TPH (GC/MS) Low Fraction	360	-	-	-	-	-	-	-	-
Allyl chloride	-	-	-	-	-	-	-	-	< 1.3
tert-butyl alcohol	-	-	-	-	-	-	-	-	2.5
2-Chlorotoluene	-	-	-	-	-	-	-	-	< 2.1
1,4,-Dioxane	-	-	-	-	-	-	-	-	< 1.4
Ethanol	-	-	-	-	-	-	-	-	68
Trichlorofloromethane	-	-	-	-	-	-	-	-	< 2.2
1,1,2-Trichlorofluoroethane	-	-	-	-	-	-	-	-	<3.1
Isopropylbenzene	-	-	-	-	-	-	-	-	<2.0
Methyl Butyl Ketone	-	-	-	-	-	-	-	-	< 10
Methyl methacrylate	-	-	-	-	-	-	-	-	< 1.6
Napthalene	-	-	-	-	-	-	-	-	< 2.1
2-Propanol	-	-	-	-	-	-	-	-	61
Propene	-	-	-	-	-	-	-	-	< 1.4
2,2,4-Trimethylpentane	-	-	-	-	-	-	-	-	5.1
Vinyl Bromide	-	-	-	-	-	-	-	-	< 1.7

Name/Address	36 West 100 South	36 West 100 South	36 West 100 South	36 West 100 South	36 West 100 South	36 West 100 South	36 West 100 South	36 West 100 South	36 West 100 South	36 West 100 South
Collection Date	11/16/2007	2/7/2008	4/2/2008	7/15/2008	8/7/2008	9/4/2008	3/23/2009	9/29/2009	11/18/2009	4/29/2009
Sample Type	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Sub-slab
Notes	Unoccupied Basement	Unoccupied Basement	Unoccupied Basement	Living Room Floor	Living Room Floor	Living Room Floor	Living Room Floor	Front Living Room		Basement Furnace Room
Units	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3
Volatile Organics										
1,2-Dichlorotetrafluoroethane	-	-	-	-	-	-	-	-	-	<2.8
Dichlorodifluoromethane	2.8	2.9	2.6	2.6	2.2	2.4	2.7	3.8	25	2.6
Chloromethane	0.86	1.2	1.2	0.96	2	1.6	2.3	0.4	2.3	0.99
Freon 114	ND	ND	ND	ND	ND	ND	< 0.71	< 0.71	5.3	-
Vinyl Chloride	ND	ND	ND	ND	ND	ND	< 0.24	< 0.24	< 0.24	< 1.0
1,3-Butadiene	ND	ND	ND	ND	ND	ND	< 0.43	< 0.43	< 0.43	< 8.9
Bromomethane	ND	ND	ND	ND	ND	ND	< 0.47	< 0.47	< 0.47	< 1.6
Chloroethane	ND	ND	ND	ND	ND	ND	< 0.36	< 0.36	< 0.36	< 1.1
Freon 11	2.1	2.3	ND	ND	ND	ND	1.8	2.7	8.1	-
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	< 0.73	< 0.73	< 0.73	< 1.6
Carbon disulfide	ND	ND	ND	ND	ND	ND	< 0.51	< 0.51	< 0.51	1.8
Freon 113	ND	ND	ND	ND	ND	ND	< 0.55	< 0.55	< 0.55	-
Acetone	ND	7.2	15	49	39	45	63	64	63	140
Methylene Chloride	ND	1.4	1.3	ND	1.8	ND	0.88	1.3	1.1	3.1
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	< 0.79	< 0.79	< 0.79	< 1.6
1,1-Dichloroethene	ND	ND	ND	ND	ND	ND	< 1.3	< 1.3	< 1.3	< 1.6
MTBE	ND	ND	ND	ND	ND	ND	<0.58	<0.58	<0.58	< 1.4
Vinyl Acetate	ND	ND	ND	ND	ND	ND	< 0.51	< 0.51	< 0.51	< 1.4
1,1-Dichloroethane	ND	ND	ND	ND	ND	ND	< 0.44	< 0.44	< 0.44	< 1.6
2-Butanone (MEK)	ND	ND	ND	1.7	2.8	2.5	2.6	2.4	3	50
Ethyl Acetate	ND	ND	ND	6.9	1.8	18	4.2	8.6	2	-
n-Hexane	410	22	2.8	1.5	2.2	ND	0.51	< 0.45	1.3	< 4.4
Chloroform	ND	ND	ND	ND	ND	ND	< 0.50	1.2	1.1	< 1.9
1,1,1-Trichloroethane	ND	ND	ND	ND	ND	ND	< 0.41	< 0.41	< 0.41	< 2.2
Carbon tetrachloride	ND	ND	ND	ND	ND	ND	< 0.46	< 0.46	< 0.46	< 2.5
Benzene	8.8	1.5	2.7	1	1.9	1.2	0.81	0.51	1.2	17
Tetrahydrofuran	ND	ND	ND	ND	ND	ND	< 0.33	< 0.33	< 0.33	22
1,2-Dichloroethane	ND	ND	ND	ND	ND	23	8.5	10	11	< 1.6
Cyclohexane	150	17	ND	ND	ND	ND	< 0.58	1.7	< 0.58	4.1
Trichloroethylene/Trichloroethene	ND	ND	ND	ND	ND	ND	<0.32	0.69	< 0.32	< 2.1
1,2-Dichloropropane	ND	ND	ND	ND	ND	ND	< 0.45	< 0.45	< 0.45	< 1.8
Bromodichloromethane	ND	ND	ND	ND	ND	ND	< 0.35	< 0.35	< 0.35	< 2.7
Heptane	33	1.1	ND	ND	ND	ND	0.78	0.73	1.5	3.5
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	< 0.36	< 0.36	< 0.36	< 1.8
4-Methyl-2-pentanone (MIBK)	ND	ND	ND	ND	ND	ND	< 0.17	< 0.17	< 0.17	11
Toluene	13	2.7	2.1	6.5	6.8	6.5	13	6.3	8	14
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	< 0.43	< 0.43	< 0.43	< 1.8
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	ND	< 0.47	< 0.47	< 0.47	< 2.2
Tetrachloroethylene/Tetrachloroethene	ND	ND	ND	ND	ND	ND	< 0.62	< 0.62	< 0.62	< 2.7
2-Hexanone	ND	ND	ND	ND	ND	ND	< 0.28	< 0.28	< 0.28	-
Dibromochloromethane	ND	ND	ND	ND	ND	ND	< 0.52	< 0.52	< 0.52	< 3.4
1,2-Dibromoethane	ND	ND	ND	ND	ND	ND	< 0.50	< 0.50	< 0.50	< 3.1
Chlorobenzene	ND	ND	ND	ND	ND	ND	< 0.18	< 0.18	< 0.18	< 1.8
Ethylbenzene	1.5	ND	ND	ND	ND	ND	< 0.38	< 0.38	0.4	2.3
m&p-Xylene	7.6	1.6	ND	ND	ND	ND	1	0.84	1.8	8.7
o-Xylene	8.1	0.84				ND	< 0.30	0.47	0.73	5.6
Styrene	ND	ND	ND	ND	ND	2.9	0.55	0.89	0.68	< 1.7
Bromoform	ND	ND	ND	ND	ND	ND	< 0.66	< 0.66	< 0.66	< 12
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	ND	ND	< 0.43	< 0.43	< 0.43	< 2.7
Benzyl Chloride	ND	ND	ND	ND	ND	ND	< 0.22	< 0.22	< 0.22	< 2.1
4-Ethyltoluene	0.75	ND	ND	ND	ND	ND	< 0.29	< 0.29	< 0.29	< 2.0
1,3,5-Trimethylbenzene	2.1	ND	ND	ND	ND	ND	< 0.26	< 0.26	< 0.26	2.2
1,2,4-Trimethylbenzene	0.7	ND	ND	1.6	1.3	1.1	< 0.39	0.93	0.71	3
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	ND	< 0.36	< 0.36	< 0.36	< 2.4
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	ND	< 0.55	< 0.55	< 0.55	< 2.4
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	ND	< 0.66	< 0.66	< 0.66	<2.4
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	ND	< 1.1	< 1.1	< 1.1	< 9.3
Hexachloro-1,3-butadiene	ND	ND	ND	ND	ND	ND	< 0.84	< 0.84	< 0.84	<13
TPH (GC/MS) Low Fraction	6500	-	-	-	-	-	-	-	-	-
Allyl chloride	-	-	-	-	-	-	-	-	-	< 1.3
tert-butyl alcohol	-	-	-	-	-	-	-	-	-	2.1
2-Chlorotoluene	-	-	-	-	-	-	-	-	-	< 2.1
1,4,-Dioxane	-	-	-	-	-	-	-	-	-	< 1.4
Ethanol	-	-	-	-	-	-	-	-	-	130
Trichlorofloromethane	-	-	-	-	-	-	-	-	-	3.9
1,1,2-Trichlorofluoroethane	-	-	-	-	-	-	-	-	-	<3.1
Isopropylbenzene	-	-	-	-	-	-	-	-	-	<2.0
Methyl Butyl Ketone	-	-	-	-	-	-	-	-	-	< 10
Methyl methacrylate	-	-	-	-	-	-	-	-	-	< 1.6
Napthalene	-	-	-	-	-	-	-	-	-	< 2.1
2-Propanol	-	-	-	-	-	-	-	-	-	120
Propene	-	-	-	-	-	-	-	-	-	< 1.4
2,2,4-Trimethylpentane	-	-	-	-	-	-	-	-	-	3
Vinyl Bromide	-	-	-	-	-	-	-	-	-	< 1.7

Name/Address	40 West 100 South	40 West 100 South	40 West 100 South	40 West 100 South	40 West 100 South	40 West 100 South	40 West 100 South
Collection Date	11/14/2007	7/9/2008	8/7/2008	9/4/2008	3/23/2009	3/23/2009	5/28/2009
Sample Type	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Near-slab
Notes	Crawl Space	Kitchen	Kitchen	Kitchen	Living room floor	Kitchen floor	Off southeast corner of house, depth - 98"
Units	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3
Volatile Organics							
1,2-Dichlorotetrafluoroethane	-	-	-	-	-	-	< 2.8
Dichlorodifluoromethane	4.2	2.5	2.3	3.8	3.4	2.8	3.1
Chloromethane	1	1.5	1.4	1.8	1.2	1.1	< 0.83
Freon 114	ND	ND	ND	ND	< 0.71	< 0.71	-
Vinyl Chloride	ND	ND	ND	ND	< 0.24	< 0.24	< 1.0
1,3-Butadiene	ND	ND	ND	ND	< 0.43	< 0.43	< 8.9
Bromomethane	ND	ND	ND	ND	< 0.47	< 0.47	< 1.6
Chloroethane	ND	ND	ND	ND	< 0.36	< 0.36	< 1.1
Freon 11	3.8	ND	ND	3	2.7	2.1	-
cis-1,2-Dichloroethene	ND	ND	ND	ND	< 0.73	< 0.73	< 1.6
Carbon disulfide	ND	ND	ND	1.6	< 0.51	< 0.51	< 1.2
Freon 113	ND	ND	ND	ND	< 0.55	< 0.55	-
Acetone	12	48	15	34	42	30	43
Methylene Chloride	5.7	7.4	ND	7.6	0.55	2.3	11
trans-1,2-Dichloroethene	ND	ND	ND	ND	< 0.79	< 0.79	< 1.6
1,1-Dichloroethene	ND	ND	ND	ND	< 1.3	< 1.3	< 1.6
MTBE	ND	ND	ND	ND	<0.58	<0.58	< 1.4
Vinyl Acetate	ND	ND	ND	ND	< 0.51	< 0.51	< 1.4
1,1-Dichloroethane	ND	ND	ND	ND	< 0.44	< 0.44	< 1.6
2-Butanone (MEK)	1.6	2.4	ND	ND	59	2.3	8
Ethyl Acetate	ND	10	33	3.6	< 1.1	6.7	-
n-Hexane	2.2	5.2	ND	2.4	1.5	0.64	< 4.4
Chloroform	ND	ND	ND	ND	< 0.50	< 0.50	< 1.9
1,1,1-Trichloroethane	ND	ND	ND	ND	< 0.41	< 0.41	< 2.2
Carbon tetrachloride	ND	ND	ND	ND	< 0.46	< 0.46	< 2.5
Benzene	0.86	2.8	ND	1.4	0.69	0.55	2.6
Tetrahydrofuran	3.3	1	ND	ND	7.6	< 0.33	< 1.2
1,2-Dichloroethane	ND	ND	ND	ND	< 0.54	< 0.54	< 1.6
Cyclohexane	ND	1.5	ND	ND	2.7	3.6	< 1.4
Trichloroethylene/Trichloroethene	ND	ND	ND	ND	<0.32	<0.32	< 2.1
1,2-Dichloropropane	ND	ND	ND	ND	< 0.45	< 0.45	< 1.8
Bromodichloromethane	ND	ND	ND	ND	< 0.35	< 0.35	< 2.7
Heptane	ND	2.1	ND	ND	19	57	< 1.6
cis-1,3-Dichloropropene	ND	ND	ND	ND	< 0.36	< 0.36	< 1.8
4-Methyl-2-pentanone (MIBK)	ND	ND	ND	ND	< 0.17	< 0.17	< 10
Toluene	3.4	6.7	3	3.8	160	1.7	4.9
trans-1,3-Dichloropropene	ND	ND	ND	ND	< 0.43	< 0.43	< 1.8
1,1,2-Trichloroethane	ND	ND	ND	ND	< 0.47	< 0.47	< 2.2
Tetrachloroethylene/Tetrachloroethene	ND	ND	ND	ND	< 0.62	< 0.62	< 2.7
2-Hexanone	ND	ND	ND	ND	< 0.28	< 0.28	-
Dibromochloromethane	ND	ND	ND	ND	< 0.52	< 0.52	< 3.4
1,2-Dibromoethane	ND	ND	ND	ND	< 0.50	< 0.50	< 3.1
Chlorobenzene	ND	ND	ND	ND	< 0.18	< 0.18	< 1.8
Ethylbenzene	ND	ND	ND	ND	< 0.38	< 0.38	< 1.7
m&p-Xylene	1.5	4.2	ND	ND	1.8	< 0.74	< 3.5
o-Xylene	ND	1.4	ND	ND	< 0.30	< 0.30	< 1.7
Styrene	ND	ND	ND	ND	1.7	< 0.44	< 1.7
Bromoform	ND	ND	ND	ND	< 0.66	< 0.66	< 12
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	< 0.43	< 0.43	< 2.7
Benzyl Chloride	ND	ND	ND	ND	< 0.22	< 0.22	< 2.1
4-Ethyltoluene	ND	ND	ND	ND	2	< 0.29	< 2.0
1,3,5-Trimethylbenzene	ND	ND	ND	ND	2.7	< 0.26	< 2.0
1,2,4-Trimethylbenzene	ND	1.4	ND	ND	9.1	< 0.39	< 2.0
1,3-Dichlorobenzene	ND	ND	ND	ND	< 0.36	< 0.36	< 2.4
1,4-Dichlorobenzene	ND	ND	ND	ND	< 0.55	< 0.55	< 2.4
1,2-Dichlorobenzene	ND	ND	ND	ND	< 0.66	< 0.66	< 2.4
1,2,4-Trichlorobenzene	ND	ND	ND	ND	< 1.1	< 1.1	< 9.3
Hexachloro-1,3-butadiene	ND	ND	ND	ND	< 0.84	< 0.84	< 13
TPH (GC/MS) Low Fraction	35	-	-	-	-	-	500
Allyl chloride	-	-	-	-	-	-	< 1.3
tert-butyl alcohol	-	-	-	-	-	-	1.5
2-Chlorotoluene	-	-	-	-	-	-	< 2.1
1,4,-Dioxane	-	-	-	-	-	-	< 1.4
Ethanol	-	-	-	-	-	-	34
Trichloroflorromethane	-	-	-	-	-	-	<2.2
1,1,2-Trichlorofluoroethane	-	-	-	-	-	-	< 3.1
Isopropylbenzene	-	-	-	-	-	-	< 2.0
Methyl Butyl Ketone	-	-	-	-	-	-	< 10
Methyl methacrylate	-	-	-	-	-	-	< 1.6
Napthalene	-	-	-	-	-	-	< 2.1
2-Propanol	-	-	-	-	-	-	61
Propene	-	-	-	-	-	-	< 1.4
2,2,4-Trimethylpentane	-	-	-	-	-	-	< 1.9
Vinyl Bromide	-	-	-	-	-	-	< 1.7

Name/Address	50 West 100 South	50 West 100 South	50 West 100 South
Collection Date	11/14/2007	1/7/2008	3/23/2009
Sample Type	Indoor	Indoor	Indoor
Notes	Bedroom		Living Room Floor
Units	ug/m3	ug/m3	ug/m3
Volatile Organics			
1,2-Dichlorotetrafluoroethane	-	-	-
Dichlorodifluoromethane	3.5	3.1	2.5
Chloromethane	1.3	ND	1.4
Freon 114	ND	ND	< 0.71
Vinyl Chloride	ND	ND	< 0.24
1,3-Butadiene	ND	ND	< 0.43
Bromomethane	ND	ND	< 0.47
Chloroethane	ND	ND	< 0.36
Freon 11	2	1.4	1.6
cis-1,2-Dichloroethene	ND	ND	< 0.73
Carbon disulfide	0.56	ND	< 0.51
Freon 113	0.91	ND	< 0.55
Acetone	ND	100	140
Methylene Chloride	4.1	2.3	< 0.49
trans-1,2-Dichloroethene	ND	ND	< 0.79
1,1-Dichloroethene	ND	ND	< 1.3
MTBE	ND	ND	<0.58
Vinyl Acetate	ND	ND	< 0.51
1,1-Dichloroethane	ND	ND	< 0.44
2-Butanone (MEK)	3.1	2.7	2
Ethyl Acetate	ND	15	17
n-Hexane	54	ND	< 0.45
Chloroform	ND	ND	< 0.50
1,1,1-Trichloroethane	ND	ND	< 0.41
Carbon tetrachloride	ND	ND	< 0.46
Benzene	1.4	0.96	0.6
Tetrahydrofuran	ND	ND	< 0.33
1,2-Dichloroethane	ND	ND	< 0.54
Cyclohexane	9.8	ND	< 0.58
Trichloroethylene/Trichloroethene	ND	ND	5
1,2-Dichloropropane	ND	ND	< 0.45
Bromodichloromethane	ND	ND	< 0.35
Heptane	13	ND	< 0.43
cis-1,3-Dichloropropene	ND	ND	< 0.36
4-Methyl-2-pentanone (MIBK)	ND	ND	< 0.17
Toluene	7.2	4.8	5.5
trans-1,3-Dichloropropene	ND	ND	< 0.43
1,1,2-Trichloroethane	ND	ND	< 0.47
Tetrachloroethylene/Tetrachloroethene	ND	ND	< 0.62
2-Hexanone	ND	ND	< 0.28
Dibromochloromethane	ND	ND	< 0.52
1,2-Dibromoethane	ND	ND	< 0.50
Chlorobenzene	ND	ND	< 0.18
Ethylbenzene	ND	ND	< 0.38
m&p-Xylene	2.9	ND	< 0.74
o-Xylene	1.1	ND	< 0.30
Styrene	0.74	ND	< 0.44
Bromoform	ND	ND	< 0.66
1,1,2,2-Tetrachloroethane	ND	ND	< 0.43
Benzyl Chloride	ND	ND	< 0.22
4-Ethyltoluene	ND	ND	< 0.29
1,3,5-Trimethylbenzene	ND	ND	< 0.26
1,2,4-Trimethylbenzene	0.59	ND	< 0.39
1,3-Dichlorobenzene	ND	ND	< 0.36
1,4-Dichlorobenzene	ND	ND	< 0.55
1,2-Dichlorobenzene	ND	ND	< 0.66
1,2,4-Trichlorobenzene	ND	ND	< 1.1
Hexachloro-1,3-butadiene	ND	ND	< 0.84
TPH (GC/MS) Low Fraction	830	-	-
Allyl chloride	-	-	-
tert-butyl alcohol	-	-	-
2-Chlorotoluene	-	-	-
1,4,-Dioxane	-	-	-
Ethanol	-	-	-
Trichloroflorometh ane	-	-	-
1,1,2-Trichlorofluoroethane	-	-	-
Isopropylbenzene	-	-	-
Methyl Butyl Ketone	-	-	-
Methyl methacrylate	-	-	-
Napthalene	-	-	-
2-Propanol	-	-	-
Propene	-	-	-
2,2,4-Trimethylpentane	-	-	-
Vinyl Bromide	-	-	-

Name/Address	Casino Star Theater 78 South Main	Casino Star Theater 78 South Main	Casino Star Theater 78 South Main	Casino Star Theater 78 South Main	Casino Star Theater 78 South Main	Casino Star Theater 78 South Main	Casino Star Theater 78 South Main
Collection Date	10/26/2007	11/19/2007	3/2/2008	9/25/2008	9/25/2008	6/9/2009	6/10/2009
Sample Type	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Sub-slab
Notes		Basement		Grab	8 hour sample period	Stage area, south side	Basement, adjacent to new HVAC room
Units	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3
Volatile Organics							
1,2-Dichlorotetrafluoroethane	-	-	-	-	-	-	< 5.6
Dichlorodifluoromethane	3.1	2.5	2.5	ND	ND	2.2	< 4.0
Chloromethane	1.1	0.8	ND	0.87	ND	0.89	< 1.7
Freon 114	ND	ND	ND	ND	ND	< 0.71	-
Vinyl Chloride	ND	ND	ND	ND	ND	< 0.24	< 2.0
1,3-Butadiene	ND	ND	ND	ND	ND	< 0.43	< 18
Bromomethane	ND	ND	ND	ND	ND	< 0.47	< 3.1
Chloroethane	ND	ND	ND	ND	ND	< 0.36	< 2.1
Freon 11	ND	1.2	ND	ND	ND	1.1	-
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	< 0.73	< 3.2
Carbon disulfide	ND	ND	ND	ND	ND	< 0.51	< 2.5
Freon 113	ND	ND	ND	ND	ND	< 0.55	-
Acetone	ND	ND	2300	170	21	11	220
Methylene Chloride	ND	ND	7.7	1.2	1.4	1.1	< 2.8
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	< 0.79	< 3.2
1,1-Dichloroethene	ND	ND	ND	ND	ND	< 1.3	< 3.2
MTBE	ND	ND	ND	ND	ND	<0.58	< 2.9
Vinyl Acetate	ND	ND	ND	ND	ND	< 0.51	< 2.8
1,1-Dichloroethane	ND	ND	ND	ND	ND	< 0.44	< 3.2
2-Butanone (MEK)	4.4	ND	7.4	2	13	1.9	< 15
Ethyl Acetate	ND	ND	ND	1.3	1.1	< 1.1	-
n-Hexane	550	6700	3500	14	1.6	< 0.45	< 8.9
Chloroform	ND	ND	ND	ND	ND	< 0.50	< 3.9
1,1,1-Trichloroethane	ND	ND	ND	ND	ND	< 0.41	< 4.4
Carbon tetrachloride	ND	ND	ND	ND	ND	< 0.46	< 5.0
Benzene	110	4200	2000	6	1	<0.32	4.5
Tetrahydrofuran	ND	ND	ND	ND	25	< 0.33	< 2.4
1,2-Dichloroethane	ND	ND	ND	ND	ND	< 0.54	< 3.2
Cyclohexane	110	2000	830	ND	ND	< 0.58	3.4
Trichloroethylene/Trichloroethene	ND	ND	ND	ND	ND	<0.32	< 4.3
1,2-Dichloropropane	ND	ND	ND	ND	ND	< 0.45	< 3.7
Bromodichloromethane	ND	ND	ND	ND	ND	< 0.35	< 5.4
Heptane	65	2300	1600	50	1.5	< 0.43	< 3.3
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	< 0.36	< 3.6
4-Methyl-2-pentanone (MIBK)	ND	ND	ND	ND	ND	< 0.17	< 20
Toluene	19	8300	7200	33	5.9	7	4.5
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	< 0.43	< 3.6
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	< 0.47	< 4.4
Tetrachloroethylene/Tetrachloroethene	ND	ND	ND	ND	ND	< 0.62	< 5.4
2-Hexanone	ND	ND	ND	ND	ND	< 0.28	-
Dibromochloromethane	ND	ND	ND	ND	ND	< 0.52	< 6.8
1,2-Dibromoethane	ND	ND	ND	ND	ND	< 0.50	< 6.2
Chlorobenzene	ND	ND	ND	ND	ND	< 0.18	< 3.7
Ethylbenzene	9	1400	960	9.1	1.8	< 0.38	< 3.5
m&p-Xylene	46	5200	4300	72	17	< 0.74	6.9
o-Xylene	14	1800	1300	44	10	< 0.30	< 3.5
Styrene	0.63	2.9	ND	ND	ND	< 0.44	< 3.4
Bromoform	ND	ND	ND	ND	ND	< 0.66	< 25
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	ND	< 0.43	< 5.5
Benzyl Chloride	ND	ND	ND	ND	ND	< 0.22	< 4.2
4-Ethyltoluene	1.4	310	270	21	7.2	< 0.29	< 3.9
1,3,5-Trimethylbenzene	1.4	350	280	28	10	< 0.26	< 3.9
1,2,4-Trimethylbenzene	2.6	1000	880	67	27	< 0.39	< 3.9
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	< 0.36	< 4.8
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	< 0.55	< 4.8
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	< 0.66	< 4.8
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	< 1.1	< 19
Hexachloro-1,3-butadiene	ND	ND	ND	ND	ND	< 0.84	< 27
TPH (GC/MS) Low Fraction	7600	44000	-	-	-	-	3100
Allyl chloride	-	-	-	-	-	-	< 2.5
tert-butyl alcohol	-	-	-	-	-	-	< 2.4
2-Chlorotoluene	-	-	-	-	-	-	< 4.1
1,4,-Dioxane	-	-	-	-	-	-	< 2.9
Ethanol	-	-	-	-	-	-	30
Trichloroflorromethane	-	-	-	-	-	-	< 4.5
1,1,2-Trichlorofluoroethane	-	-	-	-	-	-	< 6.1
Isopropylbenzene	-	-	-	-	-	-	< 3.9
Methyl Butyl Ketone	-	-	-	-	-	-	< 20
Methyl methacrylate	-	-	-	-	-	-	< 3.3
Napthalene	-	-	-	-	-	-	< 4.2
2-Propanol	-	-	-	-	-	-	1300
Propene	-	-	-	-	-	-	< 2.8
2,2,4-Trimethylpentane	-	-	-	-	-	-	< 3.7
Vinyl Bromide	-	-	-	-	-	-	< 3.5

Name/Address	39 West 100 South	39 West 100 South	39 West 100 South	39 West 100 South	39 West 100 South	39 West 100 South	39 West 100 South
Collection Date	12/5/2007	1/23/2008	7/9/2008	8/11/2008	9/4/2008	3/23/2009	5/4/2009
Sample Type	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Sub-slab
Notes			Kitchen Counter	Kitchen Counter	Kitchen Counter	Kitchen counter	Basement Living Room
Units	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3
Volatile Organics							
1,2-Dichlorotetrafluoroethane	-	-	-	-	-	-	< 2.8
Dichlorodifluoromethane	2.6	3.6	3.3	9.5	2.6	2.6	2.7
Chloromethane	0.74	1.3	2.3	1.9	1.2	1.2	< 0.83
Freon 114	ND	ND	ND	ND	ND	< 0.71	-
Vinyl Chloride	ND	ND	ND	ND	ND	< 0.24	< 1.0
1,3-Butadiene	ND	ND	ND	ND	ND	< 0.43	< 8.9
Bromomethane	ND	ND	ND	ND	ND	< 0.47	< 1.6
Chloroethane	ND	ND	ND	ND	ND	< 0.36	< 1.1
Freon 11	ND	1.7	3	2.6	ND	1.4	-
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	< 0.73	< 1.6
Carbon disulfide	ND	ND	ND	ND	ND	< 0.51	< 1.2
Freon 113	ND	ND	ND	ND	ND	< 0.55	-
Acetone	ND	13	41	49	19	7.7	33
Methylene Chloride	ND	1.9	ND	12	1.3	< 0.49	< 1.4
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	< 0.79	< 1.6
1,1-Dichloroethene	ND	ND	ND	ND	ND	< 1.3	< 1.6
MTBE	ND	ND	ND	ND	ND	<0.58	< 1.4
Vinyl Acetate	ND	ND	ND	ND	ND	< 0.51	< 1.4
1,1-Dichloroethane	ND	ND	ND	ND	ND	< 0.44	< 1.6
2-Butanone (MEK)	ND	ND	4.1	6.6	ND	< 0.40	< 7.4
Ethyl Acetate	ND	ND	ND	1.2	ND	< 1.1	-
n-Hexane	910	8.5	1.5	2.1	1.6	3.5	< 4.4
Chloroform	ND	ND	ND	ND	ND	< 0.50	< 1.9
1,1,1-Trichloroethane	ND	ND	ND	ND	ND	< 0.41	4.4
Carbon tetrachloride	ND	ND	ND	ND	ND	< 0.46	< 2.5
Benzene	27	1.2	2	ND	1.3	0.57	1.6
Tetrahydrofuran	ND	ND	3.5	8	ND	< 0.33	< 1.2
1,2-Dichloroethane	ND	ND	2.6	2.7	ND	< 0.54	< 1.6
Cyclohexane	280	5.1	ND	ND	ND	< 0.58	< 1.4
Trichloroethylene/Trichloroethene	ND	ND	ND	ND	ND	<0.32	< 2.1
1,2-Dichloropropane	ND	ND	ND	ND	ND	< 0.45	< 1.8
Bromodichloromethane	ND	ND	ND	ND	ND	< 0.35	< 2.7
Heptane	93	0.91	ND	ND	ND	< 0.43	< 1.6
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	< 0.36	< 1.8
4-Methyl-2-pentanone (MIBK)	ND	ND	ND	ND	ND	< 0.17	< 10
Toluene	23	3.3	4	4.9	3.9	0.79	2.4
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	< 0.43	< 1.8
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	< 0.47	< 2.2
Tetrachloroethylene/Tetrachloroethene	ND	ND	ND	ND	ND	< 0.62	< 2.7
2-Hexanone	ND	ND	ND	ND	ND	< 0.28	-
Dibromochloromethane	ND	ND	ND	ND	ND	< 0.52	< 3.4
1,2-Dibromoethane	ND	ND	ND	ND	ND	< 0.50	< 3.1
Chlorobenzene	ND	ND	ND	ND	ND	< 0.18	< 1.8
Ethylbenzene	0.8	1.8	ND	ND	ND	< 0.38	< 1.7
m&p-Xylene	11	7.4	3.1	4	2.6	< 0.74	< 3.5
o-Xylene	6.9	1.6	1.3	1.6	ND	< 0.30	< 1.7
Styrene	ND	ND	ND	1.1	ND	< 0.44	< 1.7
Bromoform	ND	ND	ND	ND	ND	< 0.66	< 12
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	ND	< 0.43	< 2.7
Benzyl Chloride	ND	ND	ND	ND	ND	< 0.22	< 2.1
4-Ethyltoluene	1	ND	ND	ND	ND	< 0.29	< 2.0
1,3,5-Trimethylbenzene	1.5	ND	ND	ND	ND	< 0.26	< 2.0
1,2,4-Trimethylbenzene	1.8	ND	1.1	1.8	ND	< 0.39	< 2.0
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	< 0.36	< 2.4
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	< 0.55	< 2.4
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	< 0.66	< 2.4
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	< 1.1	< 9.3
Hexachloro-1,3-butadiene	ND	ND	ND	ND	ND	< 0.84	< 13
TPH (GC/MS) Low Fraction	-	-	-	-	-	-	-
Allyl chloride	-	-	-	-	-	-	< 1.3
tert-butyl alcohol	-	-	-	-	-	-	1.7
2-Chlorotoluene	-	-	-	-	-	-	< 2.1
1,4,-Dioxane	-	-	-	-	-	-	< 1.4
Ethanol	-	-	-	-	-	-	57
Trichloroflorometh ane	-	-	-	-	-	-	<2.2
1,1,2-Trichlorofluoroethane	-	-	-	-	-	-	< 3.1
Isopropylbenzene	-	-	-	-	-	-	< 2.0
Methyl Butyl Ketone	-	-	-	-	-	-	< 10
Methyl methacrylate	-	-	-	-	-	-	< 1.6
Napthalene	-	-	-	-	-	-	< 2.1
2-Propanol	-	-	-	-	-	-	93
Propene	-	-	-	-	-	-	< 1.4
2,2,4-Trimethylpentane	-	-	-	-	-	-	< 1.9
Vinyl Bromide	-	-	-	-	-	-	< 1.7

Name/Address	40 West 200 South	40 West 200 South	40 West 200 South	40 West 200 South
Collection Date	7/9/2008	8/7/2008	9/4/2008	3/23/2009
Sample Type	Indoor	Indoor	Indoor	Indoor
Notes	Living Room Floor	Living Room Floor	Living Room Floor	Living room floor
Units	ug/m3	ug/m3	ug/m3	ug/m3
Volatile Organics				
1,2-Dichlorotetrafluoroethane	-	-	-	-
Dichlorodifluoromethane	3.4	3.4	4.7	3.4
Chloromethane	0.96	1.9	2	1.2
Freon 114	ND	ND	ND	< 0.71
Vinyl Chloride	ND	ND	ND	< 0.24
1,3-Butadiene	ND	ND	ND	< 0.43
Bromomethane	ND	ND	ND	< 0.47
Chloroethane	ND	ND	ND	< 0.36
Freon 11	4.9	4.7	5.8	2.7
cis-1,2-Dichloroethene	ND	ND	ND	< 0.73
Carbon disulfide	ND	ND	ND	< 0.51
Freon 113	ND	ND	ND	< 0.55
Acetone	36	56	66	42
Methylene Chloride	ND	1.5	1.9	0.55
trans-1,2-Dichloroethene	ND	ND	ND	< 0.79
1,1-Dichloroethene	ND	ND	ND	< 1.3
MTBE	ND	ND	ND	<0.58
Vinyl Acetate	ND	ND	ND	< 0.51
1,1-Dichloroethane	ND	ND	ND	< 0.44
2-Butanone (MEK)	10	32	34	59
Ethyl Acetate	ND	2.1	ND	< 1.1
n-Hexane	ND	1.4	2.6	1.5
Chloroform	ND	ND	ND	< 0.50
1,1,1-Trichloroethane	ND	ND	ND	< 0.41
Carbon tetrachloride	ND	ND	ND	< 0.46
Benzene	ND	ND	1.6	0.69
Tetrahydrofuran	4.9	16	11	7.6
1,2-Dichloroethane	ND	ND	ND	< 0.54
Cyclohexane	ND	ND	2.2	2.7
Trichloroethylene/Trichloroethene	ND	ND	ND	<0.32
1,2-Dichloropropane	ND	ND	ND	< 0.45
Bromodichloromethane	ND	ND	ND	< 0.35
Heptane	2.2	7.4	8.4	19
cis-1,3-Dichloropropene	ND	ND	ND	< 0.36
4-Methyl-2-pentanone (MIBK)	ND	ND	ND	< 0.17
Toluene	36	93	75	160
trans-1,3-Dichloropropene	ND	ND	ND	< 0.43
1,1,2-Trichloroethane	ND	ND	ND	< 0.47
Tetrachloroethylene/Tetrachloroethene	ND	ND	ND	< 0.62
2-Hexanone	ND	ND	ND	< 0.28
Dibromochloromethane	ND	ND	ND	< 0.52
1,2-Dibromoethane	ND	ND	ND	< 0.50
Chlorobenzene	ND	ND	ND	< 0.18
Ethylbenzene	2.3	ND	1.4	< 0.38
m&p-Xylene	3.6	ND	3.6	1.8
o-Xylene	ND	ND	1.5	< 0.30
Styrene	2.7	3.7	5.5	1.7
Bromoform	ND	ND	ND	< 0.66
1,1,2,2-Tetrachloroethane	ND	ND	ND	< 0.43
Benzyl Chloride	ND	ND	ND	< 0.22
4-Ethyltoluene	ND	ND	ND	2
1,3,5-Trimethylbenzene	ND	ND	ND	2.7
1,2,4-Trimethylbenzene	1.5	ND	1.7	9.1
1,3-Dichlorobenzene	ND	ND	ND	< 0.36
1,4-Dichlorobenzene	ND	ND	ND	< 0.55
1,2-Dichlorobenzene	ND	ND	ND	< 0.66
1,2,4-Trichlorobenzene	ND	ND	ND	< 1.1
Hexachloro-1,3-butadiene	ND	ND	ND	< 0.84
TPH (GC/MS) Low Fraction	-	-	-	-
Allyl chloride	-	-	-	-
tert-butyl alcohol	-	-	-	-
2-Chlorotoluene	-	-	-	-
1,4,-Dioxane	-	-	-	-
Ethanol	-	-	-	-
Trichlorofloromethane	-	-	-	-
1,1,2-Trichlorofluoroethane	-	-	-	-
Isopropylbenzene	-	-	-	-
Methyl Butyl Ketone	-	-	-	-
Methyl methacrylate	-	-	-	-
Napthalene	-	-	-	-
2-Propanol	-	-	-	-
Propene	-	-	-	-
2,2,4-Trimethylpentane	-	-	-	-
Vinyl Bromide	-	-	-	-

Name/Address	220 South 100 West	220 South 100 West	220 South 100 West	220 South 100 West	220 South 100 West	220 South 100 West	220 South 100 West	220 South 100 West	220 South 100 West	220 South 100 West	220 South 100 West	220 South 100 West	220 South 100 West	220 South 100 West
Collection Date	11/9/2007	1/7/2008	7/9/2008	8/7/2008	9/4/2008	9/22/2008	9/25/2008	9/25/2008	9/25/2008	10/21/2008	10/21/2008	1/16/2009	3/23/2009	5/28/2009
Sample Type	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Near-slab
Notes	Basement		Kitchen Floor	Kitchen Floor	Kitchen Floor	Kitchen Floor	Crawl Space South	Crawl Space East	Upper Story - Childs Bdrm	Kitchen Floor	Basement Office	Dining room	Dining room	Off northeast corner of house, depth - 120"
Units	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3
Volatile Organics														
1,2-Dichlorotetrafluoroethane	-	-	-	-	-	-	-	-	-	-	-	-	-	< 2.8
Dichlorodifluoromethane	-	3.2	2.3	2.2	3.4	-	ND	ND	ND	-	-	2.8	2.6	2.7
Chloromethane	-	1.2	1.1	1.4	9.7	-	2.2	0.93	1.1	-	-	<0.29	1.3	1.2
Freon 114	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	<0.71	< 0.71	-
Vinyl Chloride	-	ND	ND	ND	1.7	-	ND	ND	ND	-	-	<0.24	< 0.24	< 1.0
1,3-Butadiene	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	<0.43	< 0.43	< 8.9
Bromomethane	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 0.47	< 0.47	< 1.6
Chloroethane	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 0.36	< 0.36	< 1.1
Freon 11	-	4.5	6.7	2.6	2.3	-	7.1	8.7	3.9	-	-	4.3	3.1	-
cis-1,2-Dichloroethene	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 0.73	< 0.73	< 1.6
Carbon disulfide	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 0.51	< 0.51	< 1.2
Freon 113	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 0.55	< 0.55	-
Acetone	-	9	1.6	23	15	-	19	18	31	-	-	27	29	31
Methylene Chloride	-	2.4	7.3	2.1	2.5	-	5.3	11	13	-	-	3.1	8.5	11
trans-1,2-Dichloroethene	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 0.79	3.2	< 1.6
1,1-Dichloroethene	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 1.3	< 1.3	< 1.6
MTBE	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	<0.58	<0.58	< 1.4
Vinyl Acetate	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 0.51	< 0.51	< 1.4
1,1-Dichloroethane	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 0.44	< 0.44	< 1.6
2-Butanone (MEK)	-	3.3	3.2	4.3	34	-	3.1	3.1	4.7	-	-	2.5	3.7	41
Ethyl Acetate	-	1.2	1.2	ND	ND	-	ND	ND	ND	-	-	3.7	3.6	-
n-Hexane	-	1.5	4.4	1.3	140	-	1.8	3.1	2.4	-	-	2.3	1.8	< 4.4
Chloroform	-	ND	ND	2.5	ND	-	ND	ND	ND	-	-	< 0.50	< 0.50	< 1.9
1,1,1-Trichloroethane	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 0.41	< 0.41	< 2.2
Carbon tetrachloride	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 0.46	< 0.46	< 2.5
Benzene	3	1.5	2.3	1	78	7.4	1.5	2.3	2	<1.0	<1.0	1.5	1.5	3.5
Tetrahydrofuran	-	ND	ND	2.3	44	-	1.9	1.7	5.5	-	-	< 0.33	< 0.33	8.8
1,2-Dichloroethane	-	ND	ND	ND	9.8	-	ND	ND	ND	-	-	< 0.54	< 0.54	< 1.6
Cyclohexane	-	ND	7	ND	28	-	ND	1.4	ND	-	-	< 0.58	1.5	2
Trichloroethylene/Trichloroethene	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	<0.32	<0.32	< 2.1
1,2-Dichloropropane	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 0.45	< 0.45	< 1.8
Bromodichloromethane	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 0.35	< 0.35	< 2.7
Heptane	-	ND	ND	ND	45	-	ND	ND	1.3	-	-	0.96	1	3.7
cis-1,3-Dichloropropene	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 0.36	< 0.36	< 1.8
4-Methyl-2-pentanone (MIBK)	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 0.17	< 0.17	< 10
Toluene	12	7.9	14	8.1	330	12	6.3	10	13	5.4	3.9	8	8.4	14
trans-1,3-Dichloropropene	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 0.43	< 0.43	< 1.8
1,1,2-Trichloroethane	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 0.47	< 0.47	< 2.2
Tetrachloroethylene/Tetrachloroethene	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 0.62	< 0.62	< 2.7
2-Hexanone	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 0.28	< 0.28	-
Dibromochloromethane	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 0.52	< 0.52	< 3.4
1,2-Dibromoethane	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 0.50	< 0.50	< 3.1
Chlorobenzene	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 0.18	< 0.18	< 1.8
Ethylbenzene	1.3	ND	ND	ND	31	<1.3	ND	ND	ND	<1.3	<1.3	0.5	< 0.38	3.4
m&p-Xylene	6	1.2	4.1	ND	150	5.3	ND	3.2	3	3.2	<1.1	2.3	1.6	10
o-Xylene	1.8	ND	1.4	ND	47		ND	ND	ND			0.73	0.57	2.6
Styrene	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 0.44	< 0.44	< 1.7
Bromoform	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 0.66	< 0.66	< 12
1,1,2,2-Tetrachloroethane	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 0.43	< 0.43	< 2.7
Benzyl Chloride	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 0.22	< 0.22	< 2.1
4-Ethyltoluene	-	ND	ND	ND	11	-	ND	ND	ND	-	-	< 0.29	< 0.29	< 2.0
1,3,5-Trimethylbenzene	-	ND	ND	ND	15	-	ND	ND	ND	-	-	< 0.26	< 0.26	< 2.0
1,2,4-Trimethylbenzene	-	ND	1.6	ND	43	-	ND	1.3	1.6	-	-	0.94	0.82	2.8
1,3-Dichlorobenzene	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 0.36	< 0.36	< 2.4
1,4-Dichlorobenzene	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 0.55	< 0.55	< 2.4
1,2-Dichlorobenzene	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 0.66	< 0.66	< 2.4
1,2,4-Trichlorobenzene	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 1.1	< 1.1	< 9.3
Hexachloro-1,3-butadiene	-	ND	ND	ND	ND	-	ND	ND	ND	-	-	< 0.84	< 0.84	< 13
TPH (GC/MS) Low Fraction	130	-	-	-	-	-	-	-	-			-	-	500
Allyl chloride	-	-	-	-	-	-	-	-	-	-	-	-	-	< 1.3
tert-butyl alcohol	-	-	-	-	-	-	-	-	-	-	-	-	-	< 1.2
2-Chlorotoluene	-	-	-	-	-	-	-	-	-	-	-	-	-	< 2.1
1,4,-Dioxane	-	-	-	-	-	-	-	-	-	-	-	-	-	< 1.4
Ethanol	-	-	-	-	-	-	-	-	-	-	-	-	-	26
Trichloroflorromethane	-	-	-	-	-	-	-	-	-	-	-	-	-	<2.2
1,1,2-Trichlorofluoroethane	-	-	-	-	-	-	-	-	-	-	-	-	-	< 3.1
Isopropylbenzene	-	-	-	-	-	-	-	-	-	-	-	-	-	< 2.0
Methyl Butyl Ketone	-	-	-	-	-	-	-	-	-	-	-	-	-	16
Methyl methacrylate	-	-	-	-	-	-	-	-	-	-	-	-	-	< 1.6
Napthalene	-	-	-	-	-	-	-	-	-	-	-	-	-	< 2.1
2-Propanol	-	-	-	-	-	-	-	-	-	-	-	-	-	100
Propene	-	-	-	-	-	-	-	-	-	-	-	-	-	< 1.4
2,2,4-Trimethylpentane	-	-	-	-	-	-	-	-	-	-	-	-	-	< 1.9
Vinyl Bromide	-	-	-	-	-	-	-	-	-	-	-	-	-	< 1.7