

**UTAH SOLID AND HAZARDOUS WASTE CONTROL BOARD
SOLID WASTE PERMIT RENEWAL**

CLASS II LANDFILL

Pursuant to the provisions of the *Utah Solid and Hazardous Waste Act*, Title 19, Chapter 6, Utah Code Annotated (UCA) 1953, as amended (the Act) and the *Utah Solid Waste Permitting and Management Rules*, Utah Administrative Code (UAC) R315-301 through 320 adopted thereunder,

Wayne County as owner and operator

is hereby approved to construct and operate the Long Hollow Class II Landfill located in northwest 1/4 section of Section 22, Township 28 south, Range 2 east, Salt Lake Base and Meridian, Wayne County, Utah as shown in the permit renewal application that was determined complete on November 8, 2005.

The operation of the landfill is subject to the condition that Wayne County (Permittee) meet the requirements set forth herein.

All references to UAC R315-301 through 320 are to regulations that are in effect on the date that this permit becomes effective.

This permit shall become effective January 20, 2006.

This permit shall expire at midnight January 19, 2011.

Signed this 19 day of January, 2006.

Original Document signed by Dennis R. Downs on 1/19/06

Dennis R. Downs, Executive Secretary
Utah Solid and Hazardous Waste Control Board

PERMIT REQUIREMENTS

LANDFILL NAME: Long Hollow Class II Landfill

OWNER NAME: Wayne County

OWNER ADDRESS: 18 South Main
Loa, Utah 84747

OWNER PHONE NO.: 435-836-2731

OPERATOR NAME: Same as Owner

TYPE OF PERMIT: Class II Landfill

PERMIT NUMBER: 9714R1

LOCATION: Landfill site is located in Township 28 south, Range 2 east,
Section 22, SLMB; Wayne County, Lat. 38° 21' 57", Long. 111°
41' 17"

Permit as used in this document is defined in Utah Administrative Code (UAC) R315-301-2(55).

The renewal application, *Renewal Documents- Long Hollow Sanitary Landfill, December 2004*, with replacement pages received on January 6, 2005 as deemed complete on November 8, 2005 is hereby approved and is incorporated by reference into this Solid Waste Permit and will be referred to as the permit application throughout this permit. All representations made in the permit application are part of this permit and are enforceable under UAC 315-301-5(2). The permit application will become part of the operating record of the Landfill. Where differences in wording exist between this permit and the application, the wording of the permit supersedes that of the application.

The facility as described in this permit and the permit application consists of scale house, maintenance building, Class II disposal cell, Class IV disposal cell, dead animal pit, sludge treatment area, tire storage area, clean/green yard waste storage area, and metal recycling storage area, and excavation site for future disposal cell.

By this permit to own and operate, the Permittee is subject to the following conditions.

I. GENERAL COMPLIANCE RESPONSIBILITIES

A. General Operation

The Permittee shall operate the landfill in accordance with all applicable requirements of UAC R315-302 and 303, for a Class II landfill, that are in effect as of the date of this permit unless otherwise noted in this permit. Any permit noncompliance or other noncompliance constitutes a violation of UAC R315-302 or 303 and is grounds for appropriate enforcement action, permit revocation, modification, or denial of a permit application.

B. Acceptable Waste

This permit is for the disposal of non-hazardous solid waste that may include, municipal solid waste, commercial waste, industrial waste, construction/demolition waste, and special waste as defined in UAC R315-301. The permittee may accept conditionally exempt small quantity generator hazardous waste as specified in UAC R315-303-4(7)(a)(i)(B) and PCB's as specified by UAC R315-315-7(2). The Permittee is limited to an average of 20 tons per day of acceptable waste. The daily average shall be determined by dividing the total or estimated tons of waste received in a calendar year by 365. If the 20 tons per day average is exceeded the Permittee must notify the Executive Secretary and apply for a new permit for a Class I landfill.

C. Prohibited Waste

No hazardous waste as defined by UAC R315-1 and R315-2 or PCB's as defined by UAC R315-301-2(53), except as allowed in Section IB (Acceptable Waste) of this permit, may be accepted for treatment, storage, or disposal at the landfill. Any prohibited waste received and accepted for treatment, storage, or disposal at the facility will constitute a violation of this permit and UAC R315-303-4(7).

D. Inspections and Inspection Access

The Permittee shall allow the Executive Secretary of the Utah Solid and Hazardous Waste Control Board or an authorized representative of the Board, including representatives from the Central Utah Public Health Department, to enter at reasonable times and:

1. Inspect the landfill or other premises, practices or operations regulated or required under the terms and conditions of this Permit or UAC R315-301 through 320;

2. Have access to and copy any records required to be kept under the terms and conditions of the Permit or UAC R315-301 through 320;
3. Inspect any loads of waste, treatment facilities or processes, pollution management facilities or processes, or control facilities or processes required under the Permit or regulated under UAC R315-301 through 320; and
4. Create a record of any inspection by photographic, videotape, electronic, or any other reasonable means.

E. Noncompliance

If monitoring, inspection, or testing indicates that any permit condition or any applicable rule under UAC R315-301 through 320 may be or is being violated, the Permittee shall promptly make corrections to the operation or other activities to bring the facility into compliance with all permit conditions or rules. In the event of any noncompliance with any permit condition or violation of an applicable rule, the Permittee shall promptly take any feasible action reasonably necessary to correct the noncompliance or violation and mitigate any risk to the human health or the environment. Actions may include eliminating the activity causing the noncompliance or violation and containment of any waste or contamination using barriers or access restrictions, placing of warning signs, or permanently closing areas of the facility. The Permittee shall: document the noncompliance or violation in the operating record, on the day the event occurred or the day it was discovered; notify the Executive Secretary of the Solid and Hazardous Waste Control Board within 24 hours, or the next business day following documentation of the event; and give written notice of the noncompliance or violation and measures taken to protect public health and the environment within seven days of Executive Secretary notification. Within thirty days of the documentation of the event, the Permittee shall submit, to the Executive Secretary, a written report describing the nature and extent of the noncompliance or violation and the remedial measures taken or to be taken to protect human health and the environment and to eliminate the noncompliance or violation. Upon receipt and review of the assessment report, the Executive Secretary may order the Permittee to perform appropriate remedial measures including development of a site remediation plan for approval by the Executive Secretary.

In an enforcement action, the Permittee may not claim as a defense that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with UAC R315-301 through 320 and this permit.

Compliance with the terms of this permit does not constitute a defense to actions brought under any other local, State, or Federal laws. This permit does not exempt the Permittee from obtaining any other local, State or Federal permits or approvals.

The issuance of this Permit does not convey any property rights, other than the rights inherent in this permit, in either real or personal property, or any exclusive privileges nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of Federal, State or local laws or regulations including zoning ordinances.

The provisions of this Permit are severable. If any provision of this Permit shall be held invalid for any reason, the remaining provisions shall remain in full force and effect. If the application of any provision of this Permit to any circumstance is held invalid, its application to other circumstances shall not be affected.

F. Revocation

This permit is subject to revocation if any condition of The Permit is not being met. The Permittee will be notified in writing prior to any proposed revocation action and such action will be subject to all applicable hearing procedures established under UAC R315-12 and the *Utah Administrative Procedures Act*.

Revocation of this permit will necessitate that the Executive Secretary exercise the option to require the funds or other mechanism provided for financial assurance for closure and post-closure care for the facility required in UAC R315-302-3 be called.

G. Attachment Incorporation

Attachments incorporated by reference are enforceable conditions of this permit, as are documents incorporated by reference into the attachments. Language in this permit supercedes any conflicting language in the attachments or documents incorporated into the attachments.

II. DESIGN AND CONSTRUCTION

A. Design and Construction

The Permittee shall construct the landfill cells, run-on and run-off diversion systems, and the final cover in accordance with the plans presented in the permit application and the Utah Solid Waste Permitting and Management Rules (UAC R315-301 thru 320). If ground water is encountered during excavation of the landfill, the Executive Secretary shall be notified immediately, and a contingency plan implemented or alternative construction design developed and submitted for approval.

The Permittee shall notify the Executive Secretary upon completion of construction of any landfill cells, or run-on and run-off diversion systems. No landfill cell or run-on and run-off diversion system may be used until as-built documents are submitted and construction is approved by the Executive Secretary.

The Permittee shall notify the Executive Secretary of any proposed incremental closure, placement of any part of the final, or placement of the full final cover. Construction of any portion of the final cover shall be considered as a separate construction event and shall be approved separately from any other construction or expansion of the landfill. Design approval must be received from the Executive Secretary prior to construction of any final cover and must be accompanied by a Construction Quality Control and Construction Quality Assurance (CQC/CQA) Plan, for each construction season where incremental or final closure is performed.

A qualified independent third party shall perform the quality assurance function on cover components and other testing as required by the approved CQC/CQA Plan. The results must be submitted as part of the as-built drawings to the Executive Secretary

All engineering drawings submitted to the Executive Secretary must be stamped and approved by a professional engineer with a current registration in Utah.

B. Run-On Control

Drainage channels and diversions shall be constructed as specified in the permit application and maintained at all times to effectively prevent runoff from the surrounding area from entering the landfill.

C. Quality Assurance Construction Plan

A quality assurance plan for construction of the final landfill cover shall be submitted by the Permittee along with all necessary documentation to the

Executive Secretary. Executive Secretary approval must be received prior to construction of any part of the final cover at the landfill.

A qualified third party shall perform required testing on cover components, and other testing as required by the approved Quality Assurance Plan. The results must be submitted as part of the as-built drawings to the Executive Secretary.

III. LANDFILL OPERATION

A. Operations Plan

The Operations Plan included in the permit application and the solid waste permit issued by the Executive Secretary shall be kept onsite at the landfill. The landfill shall be operated in accordance with the operations plan as included in the permit application. If necessary, the facility owner may modify the Operations Plan, provided that the modification meets all of the requirements of UAC R315-301 through 320 and is as protective of human health and the environment as that approved in the permit application. Any modification to the Operations Plan shall be noted in the operating record

B. Security

The Permittee shall operate the Landfill so that unauthorized entry to the facility is prevented. All facility gates and other access routes shall be locked during the time the landfill is not open. At least one person, employed by the Wayne County, shall be at the landfill during all hours that the landfill is open. Fencing and any other access controls as shown in the permit application shall be constructed to prevent access of persons or livestock by other routes.

C. Training

Permittee shall provide training for on-site personnel in landfill operation, including waste load inspection, hazardous waste identification, and personal safety and protection.

D. Burning of Waste

Intentional burning of solid waste is prohibited and is a violation of UAC R315-303-4(2)(b). Burning of clean/green waste when meeting the requirements of UAC R307-202-5 is allowed in a segregated area within the landfill site. All accidental fires shall be extinguished as soon as reasonably possible.

E. Daily Cover

Solid waste received at the landfill shall be completely covered at the end of each working day with a minimum of six inches of earthen material. Waste in the construction/demolition cell shall be covered with a minimum of six inches of earthen material no less than quarterly to prevent fires and to control vectors, blowing litter, odor, scavenging, and fugitive dust. At the end of the operating day, when cover is applied to the construction/demolition cell, the amount of cover placed and the area receiving cover shall be recorded in the operating record and certified by the operator.

Any use of an alternative daily cover must be approved by the Executive Secretary. If an alternative cover is approved at any time during the life of this permit the following conditions will apply:

1. Apply standard daily cover (min. 6 inches of soil) at least once per week, primarily to serve as a fire break.
2. Apply standard daily cover any time the daily cover will be exposed for greater than 24 hours (normally this occurs once per week and also satisfies Condition "a" above).
3. Apply standard daily cover when weather conditions (e.g., wind, rain, etc.) prevent proper use of alternate daily cover.
4. Record alternative daily cover use dates in the facility daily operating log.
5. Permission to use alternative daily cover may be rescinded or amended if the requirements to prevent blowing debris, minimize access to the waste by vectors, minimize the threat of fires at the open face, minimize odors, or shed precipitation are not met, or if necessary to prevent nuisance conditions or adverse impacts to human health and or the environment.

F. Ground Water Monitoring

This facility is not required to monitor ground water (R315-303-3(3)(e)(ii)).

G. Gas Monitoring

The Permittee shall monitor explosive gases at the landfill in accordance with the Gas Monitoring Plan contained in the permit application and shall otherwise meet

the requirements of UAC R315-303-3(5). If necessary, the facility owner may modify the Gas Monitoring Plan, provided that the modification meets all of the requirements of UAC R315-301 through 320 and is as protective of human health and the environment as that approved in the permit application. Any modification to the Gas Monitoring Plan shall be noted in the operating record.

If the concentrations of explosive gases at any of the facility structures, at the property boundary or beyond, ever exceed the standards set in UAC R315-303-2(2)(a), the Permittee shall immediately take all necessary steps to ensure protection of human health and notify the Executive Secretary. Within seven days of detection, place in the operating record the explosive gas levels detected and a description of the immediate steps taken to protect human health. Implementation of a remediation plan shall meet the requirements as stated in UAC R315-303-3(5)(b) and shall be submitted to and receive approval from the Executive Secretary prior to implementation.

H. Waste Inspections

The Permittee shall visually inspect incoming waste loads to verify that no wastes other than those allowed by this permit are disposed in the landfill. A complete waste inspection shall be conducted at a minimum frequency of 1 % of incoming loads. Loads to be inspected are to be chosen on a random basis. All containers capable of holding more than five gallons of liquid will be inspected to assure that the container is empty.

All loads that the operator suspects may contain a waste not allowed for disposal at the landfill will be inspected.

Complete random inspections shall be conducted as follows:

1. The operator shall conduct the random waste inspection at the working face or an area designated by the operator.
2. The load to be inspected will be chosen on a random basis;
3. Loads subjected to complete inspection shall be unloaded at the designated area;
4. Loads shall be spread by equipment or by hand tools;
5. A visual inspection of the waste shall be conducted by personnel trained in hazardous waste recognition and recognition of other unacceptable waste; and

6. The inspection shall be recorded on the waste inspection form found in the permit application. The form shall be placed in the operating record at the end of the operating day

I. Disposal of Liquids

Disposal of containers larger than household size (five gallons) holding any liquid, noncontainerized material containing free liquids, sludge containing free liquids, or any waste containing free liquids in containers larger than five gallons is prohibited.

J. Disposal of Special Wastes

Animal carcasses may be disposed at the bottom of the landfill working face and must be covered with other solid waste or earth by the end of the operating day they are received or they may be disposed in a special trench or pit prepared for the acceptance of dead animals. If a special trench is used, animals placed in the trench shall be covered with six inches of earth by the end of each operating day.

Asbestos waste shall be handled and disposed in accordance with UAC-315-315-2.

K. Self Inspections

The Permittee shall inspect the facility to prevent malfunctions and deterioration, operator errors, and discharges that may cause or lead to the release of wastes or contaminated materials to the environment or create a threat to human health. These general inspections shall be completed no less than quarterly and shall cover the following areas: Waste placement, and cover; fences and access controls; roads; run-on/run-off controls; final and intermediate cover; litter controls; and records. A record of the inspections shall be placed in the daily operating record on the day of the inspection. Areas needing correction, as noted on the inspection report, shall be corrected. The corrective actions shall be documented in the daily operating record.

L. Recordkeeping

The Permittee shall maintain and keep on file at the landfill office, a daily operating record and other general records of landfill operation as required by UAC R315-302-2(3). The daily operating record shall include the following items:

1. The number of loads of waste and the weights or estimates of weights or volume of waste received each day of operation and recorded at the end of each operating day;
2. Major deviations from the approved plan of operation recorded at the end of the operating day the deviation occurred;
3. Results of other monitoring required by this permit recorded in the operating record on the day of the event or the day the information is received;
4. Records of all inspections conducted by the Permittee, results of the inspections, and corrective actions taken shall be recorded in the record on the day of the event.

The general record of landfill operations shall include the following items:

1. A copy of The Permit including the permit application;
2. Results of inspections conducted by representatives of the Utah Solid and Hazardous Waste Control Board and/or representatives of the Central Utah Public Health Department, when forwarded to the Permittee;
3. Closure and Post-closure care plans; and
4. Records of employee training.

M. Reporting

The Permittee shall prepare and submit, to the Executive Secretary, an Annual Report as required in UAC R315-302-2(4). The Annual Report shall include: the period covered by the report, the annual quantity of waste received, an annual update of the financial assurance mechanism, and all training programs completed.

N. Roads

All access roads, within the landfill boundary, used for transporting waste to the landfill for disposal shall be improved and maintained as necessary to assure safe and reliable all-weather access to the disposal area.

IV. CLOSURE REQUIREMENTS

A. Closure

Final cover of the landfill shall be as shown in the permit application. The final cover shall meet at a minimum the standard design for closure as specified in the UAC (R315-303-3(4)) plus sufficient cover soil or equivalent material to protect the low permeability layer from the effects of frost, desiccation, and root penetration. A quality assurance plan for construction of the final landfill cover shall be submitted to, and approval of the plan must be received from the Executive Secretary prior to construction of any part of the final cover at the landfill. A qualified third party shall perform permeability testing on the recompacted clay placed as part of the final cover.

B. Title Recording

The Permittee shall also meet the requirements of UAC R315-302-2(6) by recording with the Wayne County Recorder as part of the record of title that the property has been used as a landfill.

C. Post-Closure Care

Post-closure care at the closed landfill shall be done in accordance with the Post-Closure Care Plan contained in the permit application. Post-closure care shall continue until all waste disposal sites at the landfill have stabilized and the finding of UAC R315-302-3(7)(c) is made.

D. Financial Assurance

The Permittee shall keep in effect and active the currently approved financial assurance mechanism or another mechanism that meets the requirements of UAC R315-309 to cover the costs of closure and post-closure care at the landfill. An annual revision of closure costs and financial assurance funding shall be submitted to the Executive Secretary as part of the annual report. The financial assurance fund shall be adequately funded to provide for the cost of closure at any stage or phase or anytime during the life of the landfill. The first payment to the fund will be a minimum of 20% of the estimated closure and post-closure care costs. Annual payments shall be determined by the following formula:

$$NP=[CE-CV]/Y$$

where NP is the next payment, CE is the current cost estimate for closure and post-closure care (updated for inflation or other changes), CV is the current value of the trust fund, and Y is the number of years remaining in the pay-in period.

E. Financial Assurance Annual Update

An annual revision of closure costs and financial assurance funding as, required by R315-309-2(2), shall be submitted to the Executive Secretary as part of the annual report.

V. ADMINISTRATIVE REQUIREMENTS

A. Permit Modification

Modifications to this permit may be made upon application by the Permittee or by the Executive Secretary. The Permittee will be given written notice of any permit modification initiated by the Executive Secretary.

B. Permit Transfer

This permit may be transferred to a new permittee or new permittees by meeting the requirements of the permit transfer provisions of UAC R315-310-10.

C. Expansion

This permit is for the operation of a Class II Landfill according to the design and Operation Plan described and explained in the permit application. Any expansion of the current footprint designated in the description contained in the permit application, but within the property boundaries designated in the permit application, will require submittal of plans and specifications to the Executive Secretary. The plans and specifications must be approved by the Executive Secretary prior to construction.

Any expansion of the landfill facility beyond the property boundaries designated in the description contained in the permit application will require submittal of a new permit application in accordance with the requirements of UAC R315-310.

Any addition to the acceptable wastes described in Section 1B will require submittal of all necessary information to the Executive Secretary and the approval of the Executive Secretary.

D. Expiration

This permit shall expire five years from the effective date which is the date shown on the signature (first) page of this permit. Application for permit renewal shall be made at least 180 days prior to the expiration of this permit. If a timely renewal application is made and the permit renewal is not complete by the expiration date, this permit will continue in force until renewal is completed or denied.

E. Status Notification

Eighteen months from the date of this permit the Executive Secretary shall be notified in writing of the status of the construction of this facility unless construction is complete and operation has commenced. If construction has not begun within 18 months the Permittee will submit adequate justification to the Executive Secretary as to the reasons that construction has not commenced. If no submission is made or the submission is judged inadequate by the Executive Secretary, this permit will be revoked